


檔 號：  
保存年限：

## 行政院農業委員會 公告

發文日期：中華民國110年5月6日  
發文字號：農授防字第1101493696A號



主旨：修正「中華民國輸入植物或植物產品檢疫規定」乙、有條件輸入植物或植物產品之檢疫條件第一點、第十點、第十六點附件茄屬及番椒屬種子輸入檢疫條件第二點，並自即日生效。

依據：植物防疫檢疫法第十四條第一項。

公告事項：附修正「中華民國輸入植物或植物產品檢疫規定」乙、有條件輸入植物或植物產品之檢疫條件第一點、第十點、第十六點附件茄屬及番椒屬種子輸入檢疫條件第二點1份。

主任委員 傅吉仲

# 中華民國輸入植物或植物產品檢疫規定乙、有條件輸入 植物或植物產品之檢疫條件第一點、第十點修正規定

乙、有條件輸入植物或植物產品之檢疫條件

依據：植物防疫檢疫法第十四條第一項第二款規定。

一、植物或植物產品之名稱及其部位、國家或地區及其輸入檢疫條件如下表：

植物名稱及其部位	國家或地區	病蟲害名稱	檢疫條件
42.下列繁殖用種子： (1) 番椒屬 ( <i>Capsicum</i> spp.) (2) 番茄 ( <i>Solanum lycopersicum</i> = <i>Lycopersicon esculentum</i> )	<b>亞洲及太平洋地區</b> (1) 中國大陸 (2) 印度 (3) 以色列 (4) 日本 (5) 約旦 (6) 巴勒斯坦 (7) 泰國 (8) 土耳其 <b>非洲</b> (9) 衣索比亞 <b>歐洲</b> (10) 比利時 (11) 賽普勒斯 (12) 捷克 (13) 法國 (14) 德國 (15) 希臘 (16) 義大利 (17) 荷蘭 (18) 波蘭 (19) 西班牙 (20) 英國 <b>北美</b> (21) 墨西哥 (22) 美國 <b>中南美</b> (23) 多明尼加 (24) 瓜地馬拉 (25) 秘魯	番茄褐皺果病毒 ( <i>Tomato brown rugose fruit virus</i> (Tobamovirus))	應檢附輸出國植物檢疫機關(構)簽發之植物檢疫證明書，證明於輸出前經實驗室檢測未罹染番茄褐皺果病毒，否則銷燬或退運。

十、輸入之植物或植物產品經檢疫結果證明有下列有害生物存在，應經適當之檢疫處理，確定該有害生物完全滅除後，始得輸入。無適當之檢疫處理方式可滅除該有害生物時，應予退運或銷燬。行政院農業委員會動植物防疫檢疫局得對下列有害生物之上分類群 (Taxa) 有害生物採取檢疫處理措施。

#### 病毒類 (474 種)

*Abutilon mosaic virus* (AbMV) (*Geminiviridae*, *Begomovirus*)  
*Ageratum yellow vein virus* (AYVV) (*Geminiviridae*, *Begomovirus*)  
*African cassava mosaic virus* (ACMV) (*Geminiviridae*, *Begomovirus*)  
*Agropyron mosaic virus* (AgMV) (*Potyviridae*, *Bymovirus*)  
*Alfalfa cryptic virus 1* (ACV-1) (*Partitiviridae*, *alphacryptovirus*)  
*Alfalfa enation virus*  
*Alfalfa mosaic virus* (AIMV) (*Bromoviridae*, *alfamovirus*)  
*Alsike clover vein mosaic virus*  
*Alstroemeria mosaic virus* (AIMV) (*Potyviridae*, *potyvirus*)  
*Amaranthus leaf mottle virus* (AmLMV) (*Potyviridae*, *potyvirus*)  
*American plum line pattern virus* (APLPV) (*Bromoviridae*, *Ilarvirus*)  
*Andean potato latent virus* (APLV) (*Tymovirus*)  
*Andean potato mottle virus* (APMoV) (*Comoviridae*, *Comovirus*)  
*Anthoxanthum latent blanching virus* (ALBV) (*Hordeivirus*)  
*Anthriscus yellows virus* (AYV) (*Sequiviridae*, *waikavirus*)  
*Apple chat fruit disease*  
*Apple chlorotic leaf spot virus* (ACLSV) (*Trichovirus*, *Flexiviridae*)  
*Apple dimple fruit viroid* (ADFVd) (*Apscaviroid*, *Pospiviroidae*)  
*Apple mosaic virus* (ApMV) (*Bromoviridae*, *Ilarvirus*)  
*Apple scar skin viroid* (ASSVd) (*Pospiviroidae*, *Apscaviroid*)  
*Apple stem grooving virus* (ASGV) (*Capillovirus*, *Flexiviridae*)  
*Apple stem pitting virus* (ASPV) (*Foveavirus*, *Flexiviridae*)  
*Araujia mosaic virus* (ArjMV) (*Potyviridae*, *potyvirus*)  
*Arracacha Virus A* (AVA) (*Comoviridae*, *Nepovirus*)  
*Arracacha Virus B* (AVB) (*Comoviridae*, *Nepovirus*)  
*Arracacha Virus Y* (AVY) (*Potyviridae*, *potyvirus*)  
*Artichoke Italian latent virus* (AILV) (*Comoviridae*, *nepovirus*)  
*Artichoke latent virus* (ArLV) (*Potyviridae*, *potyvirus*)  
*Artichoke mottled crinkle virus* (AMCV) (*Tombusviridae*, *Tombusvirus*)  
*Artichoke yellow ringspot virus* (AYRSV) (*Comoviridae*, *Nepovirus*)  
*Asparagus virus 1* (AV-1) (*Potyviridae*, *potyvirus*)  
*Asparagus virus 2* (AV-2) (*Bromoviridae*, *ilarvirus*)  
*Asparagus virus 3* (AV-3) (*Potexvirus*)  
*Banana bunchy top virus* (BBTV) (*Nanovirus*)  
*Barley mild mosaic virus* (BaMMV) (*Potyviridae*, *bymovirus*)  
*Barley mosaic virus* (BBV)  
*Barley yellow dwarf virus-GPV* (BYDV-GPV) (*Luteovirus*)  
*Barley yellow mosaic virus* (BaYMV) (*Potyviridae*, *Bymovirus*)  
*Barley yellow striate mosaic virus* (BYSMV) (*Rhabdoviridae*, *Cytorhabdovirus*)  
*Bean calico mosaic virus* (BCaMV) (*Geminiviridae*, *Begomovirus*)  
*Bean common mosaic virus* (*Potyviridae*, *potyvirus*)  
*Bean golden mosaic virus* (BGMV) (*Geminiviridae*, *Begomovirus*)  
*Bean leaf roll virus* (BLRV) (*Luteoviridae*, *luteovirus*)  
*Bean mild mosaic virus* (BMMV) (*Tombusviridae*, *carmovirus*)  
*Bean pod mottle virus* (BPMV) (*Comoviridae*, *comovirus*)

*Bean rugose mosaic virus (BRMV) (Comoviridae, comovirus)*  
*Bean southern mosaic virus (SBMV) (sobemovirus)*  
*Bean yellow vein banding virus (BYVBV) (Umbravirus)*  
*Beet distortion mosaic virus*  
*Beet mild yellowing virus (BMYV) (Luteoviridae, luteovirus)*  
*Beet mosaic virus (BtMV) (Potyviridae, potyvirus)*  
*Beet soil-borne virus (BSBV) (Pomovirus)*  
*Beet western yellows virus (BWYV) (Luteoviridae, luteovirus)*  
*Beet yellows virus (BYV) (Closteroviridae, closterovirus)*  
*Beet yellow stunt virus (BYSV) (Closteroviridae, closterovirus)*  
*Beet curly top virus (BCTV) (Geminiviridae, Curtomovirus)*  
*Beet leaf curl virus (BLCV) (Rhabdoviridae)*  
*Beet necrotic yellow vein virus (BNYVV) (Benyvirus)*  
*Belladonna mottle virus (BeMV) (Tymovirus)*  
*Bermuda grass etched-line virus (BELV) (Marafivirus)*  
*Bhendi yellow vein mosaic virus (BYVMV) (Geminiviridae, Begomovirus)*  
*Bidens mosaic virus (BiMV) (Potyviridae, potyvirus)*  
*Bidens mottle virus (BiMoV) (Potyviridae, potyvirus)*  
*Black raspberry latent ilarvirus*  
*Black raspberry necrosis virus (BRNV)*  
*Blackcurrant reversion associated virus (BRAV) (Comoviridae, Nepovirus)*  
*Blueberry leaf mottle virus (BLMoV) (Comoviridae, Nepovirus)*  
*Blueberry necrotic shock virus (BlShV) (ilarvirus)*  
*Blueberry red ringspot virus (BRRV) (Caulimoviridae, caulimovirus)*  
*Blueberry scorch virus (BBScV) (carlavirus)*  
*Blueberry shoestring virus (BSSV) (sobemovirus)*  
*Broad bean B virus*  
*Broad bean necrosis virus (BBNV) (Pomovirus)*  
*Broad bean severe chlorosis virus (Closteroviridae, closterovirus)*  
*Broad bean stain virus (BBSV) (Comoviridae, comovirus)*  
*Broad bean true mosaic virus (BBTMV) (Comoviridae, comovirus)*  
*Broad bean wilt virusd (BBWV) (Comoviridae, fabavirus)*  
*Broad bean yellow ringspot virus*  
*Broad bean yellow vein virus (Rhabdoviridae, cytorhabdovirus)*  
*Broccoli necrotic yellows virus (BNYV) (Rhabdoviridae, cytorhabdovirus)*  
*Brome mosaic virus (BMV) (Bromoviridae, bromovirus)*  
*Brome streak mosaic virus (BrStMV) (Potyviridae, Tritimovirus)*  
*Burdock mosaic virus*  
*Burdock mottle virus*  
*Burdock yellows virus (BuYV) (Closteroviridae, closterovirus)*  
*Cacao necrosis virus (CNV) (Comoviridae, nepovirus)*  
*Cacao swollen shoot virus (CSSV) (Caulimoviridae, badnavirus)*  
*Cacao yellow mosaic virus (CYMV) (Tymovirus)*  
*Cactus virus (CV-2) (Carlavirus)*  
*Canna yellow mottle VIRUS (CaYMV) (Caulimoviridae, badnavirus)*  
*Caper latent virus (CapLV) (Carlavirus)*  
*Cardamine chlorotic fleck virus (CCFV) (Tombusviridae, carmovirus)*  
*Cardamom mosaic virus (CdMV) (Potyviridae, potyvirus)*  
*Carnation cryptic virus I (CCV-1) (Partitiviridae, alphacryptovirus)*  
*Carnation etched ring virus (CERV) (Cualimoviridae, caulimovirus)*  
*Carnation Italian ringspot virus (CIRV) (Tombusviridae, tombusvirus)*

*Carnation latent virus (CLV) (Carlavirus)*  
*Carnation mottle virus (CarMV) (Carmovirus)*  
*Carnation necrotic fleck virus (CNFV) (Clostreoviridae, closterovirus)*  
*Carnation ringspot virus (CRSV) (Tombusviridae, dianthovirus)*  
*Carnation vein mottle virus (CVMoV) (Potyviridae, potyvirus)*  
*Carrot latent virus (CtLV) (Rhabdoviridae, nucleorhabdovirus)*  
*Carrot mottle mimic virus (CmoMV) (Umbravirus)*  
*Carrot mottle virus (CMoV) (Umbravirus)*  
*Carrot red leaf virus (CtRLV) (Luteoviridae, luteovirus)*  
*Carrot temperate virus 1 (CteV-1) (Partitiviridae, alphacryptovirus)*  
*Carrot temperate virus 2 (CteV-2) (Partitiviridae, betacryptovirus)*  
*Carrot temperate virus 3 (CteV-3) (Partitiviridae, alphacryptovirus)*  
*Carrot temperate virus 4 (CteV-4) (Partitiviridae, alphacryptovirus)*  
*Carrot thin leaf virus (CTLV) (Potyviridae, potyvirus)*  
*Cowpea chlorotic mottle virus (CCMV) (Bromoviridae, Bromovirus)*  
*Cowpea golden mosaic virus (CPGMV) (Geminiviridae, Begomovirus)*  
*Cowpea green vein-banding virus (CGVBV) (Potyviridae, Potyvirus)*  
*Cowpea mosaic virus (CPMV) (Comoviridae, Comovirus)*  
*Cowpea rugose mosaic virus (CPRMV) (Potyviridae, Potyvirus)*  
*Cowpea severe mosaic virus (CPSMV) (Comoviridae, Comovirus)*  
*Cowpea stunt virus (Luteovirus)*  
*Cassava African mosaic virus (ACMV) (Geminiviridae, bigeminivirus)*  
*Cassava green mottle virus (CaGMV) (Comoviridae, nepovirus)*  
*Cassava Indian mosaic virus (ICMV) (Geminiviridae, bigeminivirus)*  
*Cassava Ivorian bacilliform virus (CsIBV) (Ourmiavirus)*  
*Cassava virus X (CsVX) (Potexvirus)*  
*Cassia mosaic virus*  
*Cassia ringspot virus*  
*Cassia yellow blotch virus (CYBV) (Bromoviridae, bromovirus)*  
*Cassia yellow spot virus (CasYSV) (Potyviridae, potyvirus)*  
*Cauliflower mosaic virus (CaMV) (Caulimoviridae, caulimovirus)*  
*Celery mosaic virus (CeMV) (Potyviridae, potyvirus)*  
*Cereal northern mosaic virus (NCMV) (cytorhabdovirus)*  
*Cassava brown streak virus (CsBSV) (Potyviridae, Ipomovirus)*  
*Cassava common mosaic virus (CsCMV) (Potexvirus)*  
*Cereal chlorotic mosaic virus (CCMoV) (Rhabdoviridae)*  
*Cherry green ring mottle virus (CGRMV) (Foveavirus)*  
*Cherry leaf roll virus (CLRV) (Comoviridae, Nepovirus)*  
*Cherry mottle leaf virus (CMLV) (Trichovirus)*  
*Cherry rasp leaf virus (CRLV) (Comoviridae, Nepovirus)*  
*Cherry virus A (CVA) (Capillovirus)*  
*Chickpea bushy dwarf virus (CpBDV) (Potyviridae, potyvirus)*  
*Chickpea distortion mosaic virus (Potyviridae, potyvirus)*  
*Chicory virus (ChVX) (potexvirus)*  
*Chicory yellow mottle virus (ChYMV) (Comoviridae, nepovirus)*  
*Chino del tomate virus (CdTV) (Geminiviridae, bigeminivirus)*  
*Chloris striate mosaic virus (CSMV) (Geminiviridae, monogeminivirus)*  
*Chrysanthemum virus B (CVB) (Carlavirus)*  
*Citrus blight disease*  
*Citrus leprosis virus (CiLV) (Rhabdoviridae)*  
*Citrus yellow mosaic virus (CiYMV) (Caulimoviridae, Badnavirus)*

*Citrus leaf rugose virus* (CiLRV) (*Rhabdoviridae, ilarvirus*)  
*Citrus ringspot virus*  
*Citrus sudden death-associated virus* (CSD- associated virus) (*Marafivirus, Tymoviridae*)  
*Citrus variegation virus* (CVV) (*Bromoviridae, ilarvirus*)  
*Clitoria yellow vein virus* (CYVV) (*Tymovirus*)  
*Clover mild mosaic virus*  
*Clover wound tumor virus* (WTV) (*Phytoreovirus*)  
*Clover yellow mosaic virus* (CIYMV) (*potexvirus*)  
*Clover yellows virus* (CYV) (*Closteroviridae, closterovirus*)  
*Clover yellow vein virus* (CIYVV) (*Potyviridae, potyvirus*)  
*Cocksfoot mottle virus* (CoMV) (*Sobemovirus*)  
*Coconut foliar decay virus* (CFDV) (*Nanavirus*)  
*Commelina diffusa virus* (*Potyviridae, potyvirus*)  
*Commelina mosaic virus* (ComMV) (*Potyviridae, potyvirus*)  
*Commelina virus X* (ComVX) (*potexvirus*)  
*Commelina yellow mottle virus* (ComYMV) (*Caulimoviridae, badnavirus*)  
*Columnea latent viroid* (CLVd) (*Pospiviroidae, Pospiviroid*)  
*Cocksfoot mild mosaic virus* (CoMV) (*Sobemovirus*)  
*Cocoa mottle leaf virus*  
*Cocoa necrosis virus* (CoNV) (*Comoviridae, Nepovirus*)  
*Cocoa swollen shoot virus* (CSSV) (*Caulimoviridae, Badnavirus*)  
*Cocoa yellow mosaic virus*  
*Colombian datura virus* (CDV) (*Potyviridae, Potyvirus*)  
*Coriander feathery red vein virus* (CFRVV) (*Rhabdoviridae, nucleorhabdovirus*)  
*Cotton leaf curl virus* (CLCuV) (*Geminiviridae, Begomovirus*)  
*Cotton leaf crumple virus* (CLCrV) (*Geminiviridae, bigeminivirus* )  
*Cowpea mild mottle virus* (CPMMV) (*Carlavirus*)  
*Crimson clover latent virus* (CCLV) (*Comoviridae, nepovirus*)  
*Crinum mosaic virus* (CriMV) (*Potyviridae, potyvirus*)  
*Croton yellow vein mosaic virus* (CYVMV) (*Geminiviridae, bigeminivirus* )  
*Cucumber green mottle mosaic virus* (CGMMV) (*Tobamovirus*)  
*Cucumber leaf spot virus* (CLSV) (*Tombusviridae, carmovirus*)  
*Cucumber mosaic virus subgroup II* (CMV-II) (*Bromoviridae, Cucumovirus*)  
*Cucumber necrosis virus* (CuNV) (*Tombusviridae, tombusvirus*)  
*Cucumber soil-borne virus* (CuSBV) (*Tombusviridae, carmovirus*)  
*Cucumber vein yellowing virus* (CVYV)  
*Cucurbit chlorotic yellows virus* (CCYC) (*Closteroviridae, Crinivirus*)  
*Cycas necrotic stunt virus* (CNSV) (*Comoviridae, nepovirus*)  
*Cymbidium ringspot virus* (CymRSV) (*Tombusviridae, tombusvirus*)  
*Cynodon chlorotic streak virus*  
*Cynosurus mottle virus* (CnMoV) (*Sobemovirus*)  
*Dahlia mosaic virus* (DMV) (*Caulimoviridae, caulimovirus* )  
*Dandelion latent virus* (DaLV) (*Carlavirus*)  
*Dandelion yellow mosaic virus* (DaYMV) (*Sequiviridae, sequivirus*)  
*Daphne virus X* (DVX) (*Potexvirus*)  
*Daphne virus Y* (DVY) (*Potyviridae, potyvirus*)  
*Datura Colombian virus* (CDV) (*Potyviridae, potyvirus*)  
*Datura distortion mosaic virus* (DDMV) (*Potyviridae, potyvirus*)  
*Datura necrosis virus* (DNV) (*Potyviridae, potyvirus*)  
*Datura shoestring virus* (DSTV) (*Potyviridae, potyvirus*)  
*Datura yellow vein virus* (DYVV) (*Rhabdoviridae, nucleorhabdovirus*)

*Datura distortion virus*  
*Datura enation mosaic virus*  
*Dendrobium mosaic virus* (DeMV) (*Potyviridae*, *potyvirus*)  
*Desmodium mosaic virus* (DesMV) (*Potyviridae*, *potyvirus*)  
*Desmodium yellow mottle virus* (DYMV) (*Tymovirus*)  
*Digitaria streak virus* (DSV) (*Geminiviridae*, *monogeminivirus*)  
*Digitaria striate mosaic* (DiSMV) (*Geminiviridae*, *monogeminivirus*)  
*Dioscorea alata virus* (*Potyviridae*, *potyvirus*)  
*Dioscorea bacilliform virus* (DBV) (*Caulimoviridae*, *badnavirus*)  
*Dioscorea green banding mosaic virus* (*Potyviridae*, *potyvirus*)  
*Dodonaea yellows-associated virus*  
*Dolichos yellow mosaic virus* (DoMYV) (*Geminiviridae*, *bigeminivirus*)  
*Dulcamara mottle virus* (DuMV) (*Tymovirus*)  
*Eggplant green mosaic virus* (EGMV) (*Potyviridae*, *potyvirus*)  
*Eggplant mottled dwarf virus* (EMDV) (*Rhabdoviridae*, *nucleorhabdovirus*)  
*Elderberry virus* (EV) (*Carlavirus 1*)  
*Epirus cherry virus* (EpCV) (*Ourmiavirus*)  
*Erysimum latent virus* (ErLV) (*Tymovirus*)  
*Echinochloa ragged stunt virus* (ERSV) (*Reoviridae*, *Oryzavirus*)  
*Elm mottle virus* (EMoV) (*Bromoviridae*, *ilarvirus*)  
*European wheat striate mosaic virus* (EWSMV) (*Tenuivirus*)  
*Euphorbia mosaic virus* (EuMV) (*Geminiviridae*, *bigeminivirus*)  
*Euphorbia ringspot virus* (EuRV) (*Potyviridae*, *potyvirus*)  
*Faba bean necrotic yellows virus* (FBNYV) (*Nanovirus*)  
*Festuca leaf streak virus* (FLSV) (*Rhabdoviridae*, *cytorhabdovirus*)  
*Fig virus S* (FVS) (*Carlavirus*)  
*Figwort mosaic virus* (FMV) (*Caulimoviridae*, *caulimovirus*)  
*Foxtail mosaic virus* (FoMV) (*Potexvirus*)  
*Frangipani mosaic virus* (FrMV) (*Tobamovirus*)  
*French bean mosaic virus*  
*Freesia leaf necrosis virus* (FLNV) (*Varicosavirus*)  
*Freesia mosaic virus* (FreMV) (*Potyviridae*, *Potyvirus*)  
*Galinsoga mosaic virus* (GaMV) (*Tombusviridae*, *carmovirus*)  
*Glycine mosaic virus* (GMV) (*Comoviridae*, *Comovirus*)  
*Grapevine Algerian latent virus* (GALV) (*Tombusviridae*, *Tombusvirus*)  
*Grapevine asteroid mosaic virus*  
*Grapevine berry inner necrosis virus* (GINV) (*Trichovirus*)  
*Grapevine Bulgarian latent virus* (GBLV) (*Comoviridae*, *Nepovirus*)  
*Grapevine chrome mosaic virus* (GCMV) (*Comoviridae*, *Nepovirus*)  
*Grapevine leafroll-associated virus 1* (GLRAV-1) (*Closteroviridae*, *Ampelovirus*)  
*Grapevine stem pitting associated closterovirus* (*Closteroviridae*, *Closterovirus*)  
*Grapevine Tunisian ringspot virus* (GTRSV) (*Comoviridae*, *Nepovirus*)  
*Grapevine fanleaf virus* (GFLV) (*Comoviridae*, *nepovirus*)  
*Grapevine fleck virus* (GFkV)  
*Grapevine stunt virus*  
*Grapevine vein necrosis virus*  
*Grapevine virus A* (GVA) (*Betaflexiviridae*, *Vitivirus*)  
*Grapevine virus B* (GVB) (*Vitivirus*, *Flexiviridae*)  
*Grapevine yellow speckle viroid* (GYSVd) (*Pospiviroidae*, *Apscaviroid*)  
*Groundnut chlorotic leaf streak virus*  
*Groundnut chlorotic spotting virus*

*Groundnut rosette assistor virus (GRAV) (Luteoviridae, Enamovirus)*  
*Groundnut rosette virus (GRV) (Umbravirus)*  
*Groundnut eyespot virus (GEV) (Potyviridae, Potyvirus)*  
*Guar symptomless virus (GSLV) (Potyviridae, Potyvirus)*  
*Guar top necrosis virus*  
*Guinea grass mosaic virus (GGMV) (Potyviridae, Potyvirus)*  
*Helenium virus S (HVS) (Carlavirus)*  
*Helenium virus Y (HVY) (Potyviridae, Potyvirus)*  
*Henbane mosaic virus (HMV) (Potyviridae, Potyvirus)*  
*Heracleum latent virus (HLV) (Vitivirus)*  
*Hibiscus latent ringspot virus (HLRSV) (Comoviridae, nepovirus)*  
*Hibiscus chlorotic ringspot virus (HCRSV) (Tombusviridae, Carmovirus)*  
*Hippeastrum mosaic virus*  
*Honeysuckle latent virus (LnLV) (Carlavirus)*  
*Hop American latent (AHLV) (Carlavirus)*  
*Hop latent virus (HpLV) (Carlavirus)*  
*Hop mosaic virus (HpMV) (Carlavirus)*  
*Hop trefoil cryptic virus 1 (HTCV-1) (Partitiviridae, alphacryptovirus)*  
*Hop trefoil cryptic virus 2 (HTCV-2) (Partitiviridae, betacryptovirus)*  
*Hop trefoil cryptic virus 3 (HTCV-3) (Partitiviridae, alphacryptovirus)*  
*Hop stunt viroid (HpSVd) (Hostuviroid, Pospiviroidae)*  
*Hordeum mosaic virus (HoMV) (Potyviridae, Potyvirus)*  
*Humulus japonicus virus (HJV) (Bromoviridae, ilarvirus)*  
*Hyacinth mosaic virus (HyaMV) (Potyviridae, Potyvirus)*  
*Hydrangea mosaic virus (HdMV) (Bromoviridae, ilarvirus)*  
*Hydrangea ringspot virus (HRSV) (Potexvirus)*  
*Horsegram yellow mosaic virus (HgYMV) (Geminiviridae, Begomovirus)*  
*Iris fulva mosaic virus (IFMV) (Potyviridae, Potyvirus)*  
*Iris Japanese necrotic ring virus*  
*Iris mild mosaic virus (IMMV) (Potyviridae, Potyvirus)*  
*Iris severe mosaic virus (ISMV) (Potyviridae, Potyvirus)*  
*Impatiens necrotic spot virus (INSV) (Bunyaviridae, Tospovirus)*  
*Indian peanut clump virus (IPCV) (Pecluvirus)*  
*Indonesian soybean dwarf virus (ISDV) (Luteoviridae, Enamovirus)*  
*Iranian maize mosaic virus*  
*Jatropha mosaic virus (JMV) (Geminiviridae, bigeminivirus)*  
*Johnsongrass mosaic (JGMV) (Potyviridae, Potyvirus)*  
*Kalanchoe isometric virus*  
*Kalanchoe latent virus (KLV) (Carlavirus)*  
*Kalanchoe top-spotting virus (KTSV) (Caulimoviridae, badnavirus)*  
*Kennedya yellow mosaic virus (KYMV) (Tymovirus)*  
*Kennedya virus Y (KVY) (Potyviridae, Potyvirus)*  
*Kyuri green mottle mosaic virus (KGMMV) (Tobamovirus)*  
*Konjac mosaic virus (KoMV) (Potyviridae, Potyvirus)*  
*Kober stem grooving*  
*Lamium mild mottle virus (LMMV) (Comoviridae, fabavirus)*  
*Lato River virus (LRV) (Tombusviridae, tombusvirus)*  
*Leek yellow stripe virus (LYSV) (Potyviridae, potyvirus)*  
*Lettuce big-vein virus (LBVV) (Varicosavirus)*  
*Lettuce mosaic virus (LMV) (Potyviridae, potyvirus)*  
*Lettuce necrotic yellows virus (LNYV) (Rhabdoviridae, cytorhabdovirus)*



*Lettuce speckles mottle virus (LSMV) (Umbravirus)*  
*Lilac chlorotic leafspot virus (LCLV) (Capillovirus)*  
*Lilac mottle virus (LiMV) (Carlavirus)*  
*Lilac ring mottle virus (LRMV) (Bromoviridae, ilarvirus)*  
*Lily mottle virus (LMoV) (Potyviridae, potyvirus)*  
*Lily virus X (LVX) (Potexvirus)*  
*Lettuce infectious yellows virus (LIYV) (Closteroviridae, Crinivirus)*  
*Limabean golden mosaic virus (LGMV) (Geminiviridae, Begomovirus)*  
*Little cherry virus (LChV) (Closteroviridae, Closterovirus)*  
*LN33 stem grooving*  
*Lucerne Australian symptomless virus (LASV) (Comoviridae, Nepovirus)*  
*Lucerne vein yellowing virus*  
*Lucerne transient streak virus (LTSV) (Sobemovirus)*  
*Lychnis ringspot virus (LRSV) (Hordeivirus)*  
*Maclura mosaic virus (MacMV) (Potyviridae, macluravirus)*  
*Maize chlorotic dwarf virus (MCDV) (Sequiviridae, waikavirus)*  
*Maize chlorotic mottle virus (MCMV) (Tombusviridae, machlomovirus)*  
*Maize dwarf mosaic virus (MDMV) (Potyviridae, potyvirus)*  
*Maize line virus*  
*Maize mosaic virus (MMV) (Rhabdoviridae, nucleorhabdovirus)*  
*Maize rayado fino virus (MRFV) (Marafivirus)*  
*Maize white line mosaic virus (MWLMV)*  
*Maize mottle/chlorotic stunt virus*  
*Maize rough dwarf virus (MRDV) (Reoviridae, Fijivirus)*  
*Maize streak virus (MSV) (Geminiviridae, Mastrevirus)*  
*Malvastrum mottle virus*  
*Malva vein clearing virus (MVCV) (Potyviridae, potyvirus)*  
*Marigold mottle virus (MaMoV) (Potyviridae, potyvirus)*  
*Melandrium yellow fleck virus (MYFV) (Bromoviridae, bromovirus)*  
*Melon leaf curl virus (MLCV) (Geminiviridae, bigeminivirus)*  
*Melon necrotic spot virus (MNSV) (Tombusviridae, carmovirus)*  
*Melon Ourmia virus (OuMV) (Ourmiavirus)*  
*Melon rugose mosaic virus (MRMV) (Tymovirus)*  
*Milk vetch dwarf virus (MDV) (Nanovirus)*  
*Mimosa mosaic virus*  
*Mirabilis mosaic virus (MiMV) (Caulimovirus)*  
*Miscanthus streak virus (MiSV) (Geminiviridae, monogeminivirus)*  
*Mulberry latent virus (MLV) (Carlavirus)*  
*Mulberry ringspot virus (MRSV) (Comoviridae, nepovirus)*  
*Mung bean yellow mosaic virus (MYMV) (Geminiviridae, bigeminivirus)*  
*Muskmelon vein necrosis virus (MuVNV) (Carlavirus)*  
*Myrobalan latent ringspot virus (MLRSV) (Comoviridae, nepovirus)*  
*Narcissus latent virus (NLV) (Potyviridae, macluravirus)*  
*Narcissus mosaic virus (NMV) (Potexvirus)*  
*Narcissus yellow stripe virus (Potyviridae, potyvirus)*  
*Natsudaikai dwarf virus (NDV) (Sadwavirus)*  
*Neckar River virus (NRV) (Tombusviridae, tombusvirus)*  
*Nerine latent virus (NeLV) (Carlavirus)*  
*Nerine virus (NV) (Potyviridae, potyvirus)*  
*Nerine virus X (NVX) (Potexvirus)*  
*Northern cereal mosaic virus (NCMV) (Rhabdoviridae, Cytorhabdovirus)*

*Oak ringspot virus*  
*Oat blue dwarf virus (OBDV) (Marafivirus)*  
*Oat golden stripe virus (OGSV) (Furovirus)*  
*Oat mosaic virus (OMV)(Potyviridae, bymovirus)*  
*Oat necrotic mottle virus (ONMV) (Potyviridae, rymovirus)*  
*Oat red streak mosaic virus*  
*Oat sterile dwarf virus (OSDV) (Reoviridae, Fijivirus)*  
*Okra leaf-curl virus (OLCV) (Geminivirus, bigeminivirus)*  
*Okra mosaic virus (OkMV) (Tymovirus)*  
*Olive latent ringspot virus (OLRSV) (Comoviridae, nepovirus)*  
*Ononis yellow mosaic virus (OYMV) (Tymovirus)*  
*Opuntia Sammons' virus (SOV) (Tobamovirus)*  
*Ornithogalum mosaic virus*  
*Pangola stunt virus (PaSV) (Reoviridae, Fijivirus)*  
*Panicum streak virus (PanSV) (Geminiviridae, monogeminivirus)*  
*Papaya leaf curl virus (PaLCuV) (Begomovirus, Geminiviridae)*  
*Papaya meleira virus (PMeV)*  
*Papaya mosaic virus (PapMV) (Potexvirus, Flexiviridae)*  
*Paprika mild mottle virus (PaMMV) (Tobamovirus)*  
*Parietaria mottle virus (PmoV) (Bromoviridae, ilarvirus)*  
*Parsnip leafcurl virus*  
*Parsnip mosaic virus (ParMV)*  
*Parsnip yellow fleck virus (PYFV) (Sequiviridae, sequivirus)*  
*Paspalum striate mosaic virus (PSMV) (Geminiviridae, monogeminivirus)*  
*Passiflora latent virus (PLV)(Carlavirus)*  
*Passiflora South African virus (Potyviridae, potyvirus)*  
*Passiflora ringspot virus (PFRSV) (Potyviridae, potyvirus)*  
*Passionfruit woodiness virus (PWV) (Potyviridae, potyvirus)*  
*Passionfruit yellow mosaic virus (PaYMV) (Tymovirus)*  
*Patchouli mosaic virus (Potyviridae, potyvirus)*  
*Pea early browning virus (PEBV) (Tobravirus)*  
*Pea enation mosaic virus-1 (PEMV-1) (Luteovirus)*  
*Pea enation mosaic virus-2 (PEMV-2) (Umbravirus)*  
*Pea mild mosaic virus (PmiMV) (Comoviridae, comovirus )*  
*Pea mosaic virus (Potyviridae, potyvirus)*  
*Peanut chlorotic streak virus (PCSV) (Caulimoviridae, caulimovirus)*  
*Peanut green mosaic virus (Potyviridae, potyvirus)*  
*Peanut stunt virus (PSV) (Bromoviridae, cucumovirus)*  
*Peanut yellow spot virus (PeYMV) (Tospovirus)*  
*Peach American mosaic virus*  
*Peach latent mosaic viroid (PLMVd)*  
*Peach mosaic virus (PMV) (Trichovirus)*  
*Peach rosette mosaic virus (PRMV) (Comoviridae, Nepovirus)*  
*Peanut clump virus (PCV) (Pecluvirus)*  
*Pear blister canker viroid (PBCVd) (Pospiviroidae, Apscavirioid)*  
*Pear necrotic spot virus*  
*Pepper chat fruit viroid (PCFVd) (Pospiviroidae, Pospiviroid)*  
*Pineapple bacilliform virus (PBV) (Badnavirus, Caulimoviridae)*  
*Pineapple mealybug wilt-associated virus-1 (PMWaV-1) (Ampelovirus, Closteroviridae)*  
*Pineapple mealybug wilt-associated virus-2 (PMWaV-2) (Ampelovirus, Closteroviridae)*  
*Plum American line pattern virus (APLPV) (Iilarvirus, Bromoviridae)*

*Plum bark split virus*  
*Plum pox virus (PPV) (Potyviridae, Potyvirus)*  
*Plum rusty blotch*  
*Potato black ringspot virus (PBRSV) (Comoviridae, Nepovirus)*  
*Potato deforming mosaic virus*  
*Potato mop-top virus (PMTV) (Pomovirus)*  
*Potato virus T (PVT) (Trichovirus)*  
*Potato virus U (PVU) (Comoviridae, Nepovirus)*  
*Potato virus V (PVV) (Potyviridae, Potyvirus)*  
*Potato yellow dwarf virus (PYDV) (Rhabdoviridae, Nucleorhabdovirus)*  
*Potato yellow vein virus (PYVV) (Closteroviridae, Crinivirus)*  
*Potato yellowing virus*  
*Prune dwarf virus (PDV) (Bromoviridae, Ilarvirus)*  
*Prunus necrotic ringspot virus (PNRSV) (Bromoviridae, Ilarvirus)*  
*Raspberry leaf curl virus*  
*Raspberry ringspot virus (RpRSV) (Comoviridae, Nepovirus)*  
*Red clover mottle virus (RCMV) (Comoviridae, Comovirus)*  
*Rice gall dwarf virus (RGDV) (Reoviridae, Phytoreovirus)*  
*Rice tungro bacilliform virus (RTBV) (Caulimoviridae, Rice tungro bacilliform-like virus)*  
*Rice tungro spherical virus (RTSV) (Sequiviridae, Waikavirus)*  
*Rice yellow mottle virus (RYMV) (Sobemovirus)*  
*Rupestris stem pitting-associated virus (Foveavirus, Flexiviridae)*  
*Squash leaf curl virus (SLCV) (Geminiviridae, Begomovirus)*  
*Squash mosaic virus (SqMV) (Comoviridae, Comovirus)*  
*Strawberry latent ringspot virus (SLRSV) (Sadwavirus)*  
*Strawberry veinbanding virus (SVBV) (Caulimoviridae, Caulimovirus)*  
*Sugarcane yellow leaf virus (ScYLV) (Polerovirus, Luteoviridae)*  
*Tobacco rattle virus (TRV) (Tobravirus)*  
*Tobacco ringspot virus (TRSV) (Comoviridae, Nepovirus)*  
*Tobacco mosaic virus (TMV) (Tobamovirus)*  
*Tobacco necrosis virus*  
*Tobacco streak virus (TSV) ( Ilarvirus, Bromoviridae)*  
*Tomato apical stunt viroid (TASVd) (Pospiviroidae, Pospiviroid)*  
*Tomato black ring virus (TBRV) (Comoviridae, Nepovirus)*  
*Tomato bushy stunt virus (TBSV) (Tombusvirus, Tombusviridae)*  
*Tomato chlorotic dwarf viroid (TCDVd) (Pospiviroidae, Pospiviroid)*  
*Tomato mottle mosaic virus (ToMMV) (Virgaviridae, Tobamovirus)*  
*Tomato mottle virus (ToMoV) (Geminiviridae, Begomovirus)*  
*Tomato planta macho viroid (TPMVd) (Pospiviroidae, Pospiviroid)*  
*Tomato ringspot virus (ToRSV) (Comoviridae, Nepovirus)*  
*Tomato yellow leaf curl virus (TYLCV) (Geminiviridae, Begomovirus)*  
*Tulare apple mosaic virus (TAMV) (Ilarvirus, Bromoviridae)*  
*Tulip breaking virus*  
*Ullucus virus C (UVC) (Comoviridae, comovirus)*  
*Ullucus mild mottle virus (UMMV) (Tobamovirus)*  
*Ullucus mosaic virus (UMV) (Potyviridae, potyvirus)*  
*Urd bean leaf crinkle virus*  
*Vallota mosaic virus (ValMV) (Potyviridae, potyvirus)*  
*Vanilla mosaic virus (VanMV) (Potyviridae, potyvirus)*  
*Vanilla necrosis virus (Potyviridae, potyvirus)*  
*Velvet tobacco mottle virus (VTMoV) (Sobemovirus)*

*Viola mottle virus* (VMV) (*Potexvirus*)  
*Voandzeia distortion mosaic virus* (*Potyviridae, potyvirus*)  
*Voandzeia necrotic mosaic virus* (VNMV) (*Tymovirus*)  
*Watercress yellow spot virus* (WYSV)  
*Watermelon chlorotic stunt virus* (WmCSV) (*Geminiviridae, bigeminivirus*)  
*Watermelon curly mottle virus* (WmCMV) (*Geminiviridae, bigeminivirus*)  
*Watermelon mosaic virus 2* (WMV-2) (*Potyviridae, potyvirus*)  
*Wheat American striate mosaic virus* (WASMV) (*Rhabdovirus, ucleorhabdovirus*)  
*Wheat yellow leaf virus* (WYLV) (*Closteroviridae, Closterovirus*)  
*Wheat dwarf virus* (WDV) (*Geminiviridae, monogeminivirus*)  
*Wheat soil-borne mosaic virus* (SBWMV) (*Furovirus*)  
*Wheat streak mosaic virus* (WSMV) (*Potyviridae, rymovirus*)  
*Wheat spindle streak mosaic virus* (WSSMV) (*Potyvirida, bymovirus*)  
*Wheat yellow mosaic virus* (WYMV) (*Potyviridae, bymovirus*)  
*White clover mosaic virus* (WCIMV) (*Potexvirus*)  
*Wild cucumber mosaic virus* (WCMV) (*Tymovirus*)  
*Wild potato mosaic* (WPMV) (*Potyviridae, Potyvirus*)  
*Wineberry latent virus* (WLV)  
*Wisteria vein mosaic virus* (WVMV) (*Potyviridae, Potyvirus*)  
*Yam mosaic virus* (YMV) (*Potyviridae, Potyvirus*)  
*Zucchini yellow fleck virus* (ZYFV) (*Potyviridae, Potyvirus*)  
備註：以上病毒之媒介有害生物亦一併列入管制

中華民國輸入植物或植物產品檢疫規定乙、有條件輸入  
植物或植物產品之檢疫條件第十六點附件茄屬及番椒屬  
種子輸入檢疫條件第二點修正規定

二、輸入茄屬及番椒屬種子應檢附輸出國植物檢疫機關簽發之植物  
檢疫證明書，證明於輸出前經實驗室檢測未罹染下列病毒及類病  
毒：

(一) 病毒：番茄斑駁嵌紋病毒 (*Tomato mottle mosaic virus*,  
ToMMV)、香瓜茄嵌紋病毒 (*Pepino mosaic virus*, PepMV)及  
番茄黃化捲葉病毒 (*Tomato yellow leaf curl virus*, TYLCV)。

(二) 類病毒：鯨魚藤潛隱類病毒 (*Columnea latent viroid*, CLVd)、  
馬鈴薯紡錘型塊莖類病毒 (*Potato spindle tuber viroid*,  
PSTVd)、番茄莖頂矮化類病毒 (*Tomato apical stunt viroid*,  
TASVd)、番茄褪綠矮化類病毒 (*Tomato chlorotic dwarf viroid*,  
TCDVd)、番茄植株雄化類病毒 (*Tomato planta macho viroid*,  
TPMVd)及番椒小果類病毒 (*Pepper chat fruit viroid*,  
PCFVd)。