

檔 號：
保存年限：

行政院農業委員會 函

地址：100臺北市南海路37號
電話：(02)3343-6412
傳真：(02)2304-7455
電子信箱：tcpqjl@mail.baphiq.gov.tw
承辦人：葉郁菁

受文者：本會動植物防疫檢疫局新竹分局

發文日期：中華民國105年10月31日
發文字號：農防字第1051494353C號
速別：普通件
密等及解密條件或保密期限：
附件：公告PDF檔(含公告附件)

主旨：「中華民國輸入植物或植物產品檢疫規定」部分規定，業經本會於中華民國105年10月31日以農防字1051494353A號公告修正，茲檢送公告(含附件)1份，請查照。

正本：行政院公報編印中心(附公告掃描檔、請刊登公報)、臺北市進出口商業同業公會、高雄市進出口商業同業公會、臺灣省進出口商業同業公會聯合會、臺北市報關商業同業公會、基隆市報關商業同業公會、基隆市報驗商業同業公會、高雄市報關商業同業公會、花蓮縣報關商業同業公會、臺中市報關商業同業公會、臺北市航空貨運承攬商業同業公會、中華民國常駐世界貿易組織代表團、財政部關務署、財政部關務署基隆關、財政部關務署臺北關、財政部關務署臺中關、財政部關務署高雄關、經濟部國際貿易局、駐臺北韓國代表部、澳洲辦事處、紐西蘭商工辦事處、駐臺北以色列經濟文化辦事處、奈及利亞駐華商務辦事處、南非聯絡辦事處、美國在臺協會臺北辦事處、加拿大駐臺北貿易辦事處、智利商務辦事處、阿根廷駐華商務文化辦事處、墨西哥商務辦事處、荷蘭貿易暨投資辦事處、法國在臺協會、義大利經濟貿易文化推廣辦事處、義大利經濟貿易文化推廣辦事處貿易組、泰國貿易經濟辦事處、日本交流協會臺北事務所、印度臺北協會、丹麥商務辦事處、德國經濟辦事處、比利時臺北辦事處、駐臺北土耳其貿易辦事處、華沙貿易辦事處、莫斯科台北經濟文化協調委員會駐台北代表處、西班牙商務辦事處、瑞士商務辦事處、英國貿易文化辦事處、奧地利商務代表辦事處、捷克經濟文化辦事處、匈牙利貿易辦事處、瑞典貿易暨投資委員會臺北辦事處、巴西商務辦事處、薩爾瓦多共和國大使館、瓜地馬拉共和國大使館、宏都拉斯共和國大使館、巴拿馬共和國大使館、駐台北越南經濟文化辦事處、中華民國輸出入相關同業公會聯誼會、台灣蘭花產銷發展協會、社團法人中華盆花發展協會、台灣區花卉輸出業同業公會、台灣區蔬果輸出業同業公會、台灣區觀賞植物運銷合作社、台灣種苗改進協會、中華文心蘭產銷發展協會、社團法人中華種苗學會、台灣蘭花育種者學會、財團法人農業科技研究院

副本：行政院法規會、本會法規會、本會資訊中心(請刊登網站)、本會動植物防疫檢疫局、本會動植物防疫檢疫局基隆分局、本會動植物防疫檢疫局新竹分局、本會動植物防疫檢疫局臺中分局、本會動植物防疫檢疫局高雄分局、本會秘書室

2016-10-31
交08:58:10章


行政院農業委員會動植物防疫檢疫局新竹分局總收文



檔 號：
保存年限：

行政院農業委員會 公告

發文日期：中華民國105年10月31日
發文字號：農防字第1051494353A號



主旨：修正「中華民國輸入植物或植物產品檢疫規定」部分規定如附件，並自中華民國一百零六年一月一日生效。

依據：植物防疫檢疫法第十四條第一項第二款規定。

公告事項：修正「中華民國輸入植物或植物產品檢疫規定」部分規定如下：

- 一、增列乙、有條件輸入之植物或植物產品第一點第三十九項南芥嵌紋病毒、第四十項馬鈴薯紡錘形塊莖類病毒及第四十一項香瓜茄嵌紋病毒規定。
- 二、修正乙、有條件輸入之植物或植物產品第十點檢疫有害生物清單，增列昆蟲類二十一種、蟎類及軟體動物類各一種，另修正有害生物學名五種並刪除蟎類一種及病毒類四種。

主任委員曹啟鴻

中華民國輸入植物或植物產品檢疫規定乙、有條件輸入植物或植物產品之檢疫條件部分規定 修正規定

乙、有條件輸入植物或植物產品之檢疫條件

依據：植物防疫檢疫法第十四條第一項第二款規定。

一、植物或植物產品之名稱及其部位、國家或地區及其輸入檢疫條件如下表：

植物名稱及其部位	國家或地區	病蟲害名稱	檢疫條件
39.下列繁殖用生植株：	亞洲及太平洋地區	南芥嵌紋病毒 (<i>Arabis mosaic virus</i> (Nepovirus))	應檢附輸出國植物檢疫機關(構)簽發之植物檢疫證明書，證明經田間檢疫或於輸出前經實驗室檢測未罹染南芥嵌紋病毒，否則銷燬或退運。
(1) 西洋芹 (<i>Apium graveolens</i>)	(1) 澳大利亞		
(2) 山葵 (<i>Armoracia rusticana</i>)	(2) 紐西蘭		
(3) 甜菜 (<i>Beta vulgaris</i>)	(3) 俄羅斯聯邦		
(4) 胡瓜 (<i>Cucumis sativus</i>)	(4) 土耳其		
(5) 豆科 (Fabaceae)	(5) 烏克蘭		
(6) 連翹 (<i>Forsythia suspense</i>)	非洲		
(7) 草莓 (<i>Fragaria × ananassa</i>)	(6) 南非		
(8) 唐菖蒲 (<i>Gladiolus hybridus</i>)	歐洲		
(9) 蛇麻 (<i>Humulus lupulus</i>)	(7) 比利時		
(10) 萵苣 (<i>Lactuca sativa</i>)	(8) 保加利亞		
(11) 百合屬 (<i>Lilium</i> spp.)	(9) 捷克		
(12) 橄欖 (<i>Olea europaea</i>)	(10) 丹麥		
(13) 水仙屬 (<i>Narcissus</i> spp.)	(11) 法國		
(14) 甜櫻桃 (<i>Prunus avium</i>)	(12) 德國		
(15) 杏 (<i>Prunus armeniaca</i>)	(13) 挪威		
(16) 歐洲酸櫻桃 (<i>Prunus cerasus</i>)	(14) 匈牙利		
(17) 歐洲李 (<i>Prunus domestica</i>)	(15) 愛爾蘭		
	(16) 義大利		
	(17) 盧森堡		
	(18) 摩爾達維亞		
	(19) 荷蘭		
	(20) 波蘭		
	(21) 羅馬尼亞		
	(22) 南斯拉夫		
	(23) 斯洛維尼亞		
	(24) 西班牙		
	(25) 瑞典		
	(26) 瑞士		
	(27) 芬蘭		
	(28) 英國		
	(29) 烏克蘭		
	北美		
	(30) 加拿大		

<p>(18)扁桃 (<i>Prunus dulcis</i>)</p> <p>(19)桂櫻 (<i>Prunus laurocerasus</i>)</p> <p>(20)桃 (<i>Prunus persica</i>)</p> <p>(21)大黃 (<i>Rheum palmatum</i>)</p> <p>(22)薔薇屬 (<i>Rosa spp.</i>)</p> <p>(23)覆盆子 (<i>Rubus idaeus</i>)</p> <p>(24)西洋接骨木 (<i>Sambucus nigra</i>)</p> <p>(25)白花苜蓿 (<i>Trifolium repens</i>)</p> <p>(26)葡萄 (<i>Vitis vinifera</i>)</p>			
<p>40.植物名稱及其部位：</p> <p>I.下列繁殖用生植株：</p> <p>(1)曼陀羅木屬 (<i>Brugmansia spp.</i>)</p> <p>(2)夜香木屬 (<i>Cestrum spp.</i>)</p> <p>(3)大理花屬 (<i>Dahlia spp.</i>)</p> <p>(4)曼陀羅屬 (<i>Datura spp.</i>)</p> <p>(5)藍花茄 (<i>Lycianthes rantonnetii</i>)</p> <p>(6)酪梨 (<i>Persea americana</i>)</p> <p>(7)好望角醋栗 (<i>Physalis peruviana</i>)</p> <p>(8)果醬木 (<i>Streptosolen jamesonii</i>)</p> <p>II. 下列繁殖用生植株及種子：</p> <p>(1)番椒屬 (<i>Capsicum spp.</i>)</p> <p>(2)矮牽牛屬</p>	<p>亞洲及太平洋地區</p> <p>(1) 阿富汗 (2) 澳大利亞 (3) 亞塞拜然 (4) 孟加拉 (5) 中國大陸 (6) 喬治亞 (7) 印度 (8) 伊朗 (9) 以色列 (10) 日本 (11) 紐西蘭 (12) 土耳其</p> <p>非洲</p> <p>(13) 埃及 (14) 奈及利亞</p> <p>歐洲</p> <p>(15) 奧地利 (16) 白俄羅斯 (17) 比利時 (18) 克羅埃西亞 (19) 捷克 (20) 德國 (21) 希臘 (22) 匈牙利 (23) 義大利</p>	<p>馬鈴薯紡錘形塊莖類病毒 (<i>Potato spindle tuber viroid</i>, PSTVd)</p>	<p>應檢附輸出國植物檢疫機關(構)簽發之植物檢疫證明書，證明於輸出前經實驗室檢測未罹染馬鈴薯紡錘形塊莖類病毒，否則銷燬或退運。</p>

<p>(<i>Petunia</i> spp.) (3) 茄屬 (<i>Solanum</i> spp.)</p>	<p>(24) 馬爾他 (25) 蒙特內哥羅 (26) 荷蘭 (27) 波蘭 (28) 俄羅斯聯邦 (29) 斯洛維尼亞 (30) 西班牙 (31) 英國 (32) 烏克蘭 北美 (33) 墨西哥 中南美 (34) 巴西 (35) 哥斯大黎加 (36) 多明尼加 (37) 秘魯 (38) 委內瑞拉</p>		
<p>41. 下列繁殖用生植株及種子： (1) 曼陀羅 (<i>Datura stramonium</i>) (2) 羅勒 (<i>Ocimum basilicum</i>) (3) 茄屬 (<i>Solanum</i> spp.)</p>	<p>亞洲及太平洋地區 (1) 敘利亞 (2) 土耳其 非洲 (3) 卡那利群島(西班牙屬) (4) 南非 歐洲 (5) 奧地利 (6) 比利時 (7) 保加利亞 (8) 賽普勒斯 (9) 丹麥 (10) 法國 (11) 德國 (12) 希臘 (13) 匈牙利 (14) 愛爾蘭 (15) 義大利 (16) 立陶宛 (17) 荷蘭 (18) 波蘭 (19) 西班牙 (20) 瑞士 (21) 烏克蘭 北美</p>	<p>香瓜茄嵌紋病毒 (<i>Pepino mosaic virus</i> (Potexvirus))</p>	<p>1、繁殖用生植株應檢附輸出國植物檢疫機關(構)簽發之植物檢疫證明書，證明經田間檢疫或於輸出前經實驗室檢測未染香瓜茄嵌紋病毒，否則銷燬或退運。 2、繁殖用種子應檢附輸出國植物檢疫機關(構)簽發之植物檢疫證明書，證明下列條件之一，否則銷燬或退運： (1) 經田間檢疫未染香瓜茄嵌紋病毒，並於採種後經磷酸三鈉檢疫處理。 (2) 輸出前經實驗室檢測未染香瓜茄嵌紋病毒。</p>

	(22) 加拿大(英屬哥倫比亞省及安大略省) (23) 墨西哥 (24) 美國(阿拉巴馬州、亞利桑那州、加利福尼亞州、科羅拉多州、佛羅里達州、馬里蘭州、明尼蘇達州、奧克拉荷馬州、德克薩斯州) 中南美 (25) 智利 (26) 厄瓜多 (27) 秘魯		
--	---	--	--

十、輸入之植物或植物產品經檢疫結果證明有下列有害生物存在，應經適當之檢疫處理，確定該有害生物完全滅除後，始得輸入。無適當之檢疫處理方式可滅除該有害生物時，應予退運或銷燬。行政院農業委員會動植物防疫檢疫局得對下列有害生物之上一分類群 (Taxa) 有害生物採取檢疫處理措施。

昆蟲類 (333 種)

Acalolepta cervina

Acanthoscelides obtectus

Acanthoscelides pallidipennis

Acleris gloverana

Acleris variana

Acrogonia terminalis

Acrolepiopsis assectella

Acropolitis rudisana

Adelges tsugae

Adoxophyes orana

Aeolesthes sarta

Aeolothrips fasciatus

Aethina tumida

Affirmaspis socotrana

Agrilus mali

Amorbia emigratella

Anaphothrips obscurus

Anastrepha grandis

Anastrepha striata

Anastrepha suspensa

Anchastus swezeyi

Anomala sulcatula

Anthonomus bisignifer
Anthonomus eugenii
Anthonomus grandis
Aonidiella lauretorum
Aonidiella tinerfinensis
Aphis fabae
Aphis sedi
Apis mellifera capensis
Apis mellifera scutellata
Archips micaceanus
Argyrotaenia ljugiana
Artitropa comus
Aspidiotus nerii
Aspidiotus spinosus
Asterolecanium spp.
Bactrocera albistrigata
Bactrocera aquilonis
Bactrocera cucumis
Bactrocera decipiens
Bactrocera diversa
Bactrocera fascialis
Bactrocera frauenfeldi
Bactrocera jarvisi
Bactrocera kirki
Bactrocera latifrons
Bactrocera melanota
Bactrocera musae
Bactrocera neohumeralis
Bactrocera occipitalis
Bactrocera oleae
Bactrocera passiflorae
Bactrocera psidii
Bactrocera trivialis
Bactrocera tuberculata
Bactrocera umbrosa
Bagrada hilaris
Bactrocera xanthodes
Bemisia cordylinidis
Blitopertha orientalis
Brachycaudus cardui
Brachycaudus persicae
Brachycerus spp.
Brachydactyla discoidea
Bruchophagus roddi
Bruchus pisorum

Bruchus rufimanus
Bulbifer homeorhynchus
Cacoecimorpha pronubana
Cacopsylla chinensis
Cacyreus marshalli
Callipogon relictus
Callosobruchus analis
Callosobruchus phaseoli
Camponotus floridanus
Camponotus herculeanus
Camponotus kiusiuensis
Camponotus noveboracensis
Camponotus obscuripes
Camponotus pennsylvanicus
Capitophorus horni
Capua tortrix
Cataenococcus hispidus
Catamacta lotinana
Ceratitis spp.
Chaetanaphothrips signipennis
Chalcophora japonica
Choristoneura conflictana
Choristoneura fumiferana
Choristoneura occidentalis
Choristoneura rosaceana
Chrysomphalus diversicolor
Chrysomphalus pinnulifer
Cilaeopeplus swezeyi
Coccus spp.
Conoderus eveillardi
Conoderus rufangulus
Conopia hector
Conotrachelus aguacatae
Contarinia nasturtii
Contarinia sorghicola
Coptotermes curvignathus
Copturus aguacatae
Crematogaster matsumurai
Crematogaster teranishii
Cryptophlebia leucotreta
Cryptorhynchus lapathi
Curculio davidi
Curculio elephas
Curculio nucum
Cydia latiferreana

Cydia splendana
Dacus bivittatus
Dacus vertebrates
Daktulosphaira vitifoliae
Dasineura mali
Dendroctonus adjunctus
Dendroctonus ponderosae
Dendroctonus rufipennis
Dendrolimus sibiricus
Delia antique
Delia platura
Diabrotica barberi
Diabrotica speciosa
Diabrotica undecimpunctata
Diabrotica virgifera virgifera
Diaprepes abbreviatus
Diaspidiotus gigas
Diaspidiotus ostreaeformis
Diaspidiotus pyri
Diatraea saccharalis
Dilobopterus costalimai
Draeculacephala minerva
Dreyfusia piceae
Drosophila suzukii
Dryocoetes confuses
Dryocosmus kuriphilus
Dysmicoccus nesophilus
Dyspessa ulula
Earias vittella
Echinothrips americanus
Elytroteinus subtruncatus
Epiphyas postvittana
Epitrix cucumeris
Epitrix tuberis
Eriosoma lanigerum
Eublemma rufimixta
Eucalymnatus tessellatus
Euproctis chrysorrhoea
Eurytoma laricis
Eustalodes anthivora
Exosoma lusitanica
Frankliniella spp.
Furcaspis oceanica
Glaucothrips glaucus
Gnathotrichus sulcatus

Gonipterus gibberus
Graphocephala atropunctata
Grapholita funebrana
Grapholita inopinata
Grapholita molesta
Grapholita packardi
Grapholita prunivora
Heilipus lauri
Helicoverpa zea
Hemiberlesia cyanophylli
Hemiberlesia palmae
Hemimene juliana
Hesperophanes campestris
Heterobostrychus aequalis
Heteronychus arator
Holotrichia mindanaona
Homalodisca coagulata
Howardia biclavis
Hylastes ater
Hylurgopinus rufipes
Hyphantria cunea
Hypothenemus hampei
Insulaspis orsoni
Ips calligraphus
Ips confusus
Ips grandicollis
Ips lecontei
Ips pini
Ips plastographus
Ips typographus
Iridomyrmex cordatus
Iridomyrmex humilis = *Linepithema humile*
Ischnaspis longirostris
Kandyosilis cochleata
Kytorhinus immixtus
Laspeyresia spp.
Lepidosaphes salicina
Lepidosaphes tokionis
Leptocybe invasa
Leucoptera malifoliella
Limonius californicus
Liposcelis decolor
Listroderes subcinctus
Listronotus bonariensis
Lobesia botrana

Lopholeucaspis cockerelli
Lymantria dispar
Lymantria monacha
Macrosiphum euphorbiae
Malacosoma americanum
Malacosoma disstria
Margarodes prieskaensis
Margarodes vredendalensis
Matsucoccus matsumurae
Mayetiola destructor
Megalometis chilensis
Melanaspis corticosa
Melanaspis elaeagni
Melanaspis nigropunctata
Melanotus communis
Metamasius spp.
Monochamus spp.
Mudaria luteileprosa
Mudaria magniplaga
Mycetaspis personata
Mycetaspis sphaerioides
Myzus ornatus
Nasutitermes corniger
Naupactus xanthographus
Nemorimyza maculosa
Neomaskellia bergii
Neoselenaspidus silvaticus
Nipaecoccus nipae
Nysius vinitor
Oncometopia fascialis
Operophtera brumata
Opogona sacchari
Opuntiaspis carinata
Orgyia antiqua
Orgyia pseudotsugata
Orthezia insignis
Oryctes monoceros
Ostrinia nubilalis
Otiorhynchus ligustici
Oulema melanopus
Oviticoccus agavium
Pammene fasciana
Paralipsa gularis
Paranthrene tabaniformis
Paraputo hispidus

Parthenolecanium corni
Pectinophora scutigera
Perileucoptera coffeella
Phalaenoides glycinae
Phenacaspis tangana
Phenacoccus manihoti
Phyllophaga spp.
Pinnaspis dracaeanae
Pinnaspis strachani
Pissodes nemorensis
Pissodes strobi
Pissodes terminalis
Pogonomyrmex occidentalis
Prays endocarpa
Premnotrypes latithorax
Premnotrypes suturicallus
Premnotrypes vorax
Proeulia spp.
Promecotheca cumingii
Prostephanus truncatus
Proterhinus vestitus
Pseudischnaspis bowreyi
Pseudococcus spp.
Pterandrus spp.
Ptilodactyla exotica
Pulvinaria urbicola
Pulvinaria vitis
Rhagoletis cerasi
Rhagoletis cingulata
Rhagoletis fausta
Rhagoletis indifferens
Rhagoletis mendax
Rhizoecus amorphophalli
Rhizoecus floridanus
Rhizoecus simplex
Rhodogastria carneola
Rhynchophorus palmarum
Rondotia menciata
Sahlbergella singularis
Sardia pluto
Scirtothrips aurantii
Scirtothrips citri
Scolytus morawitzi
Scolytus multistriatus
Scolytus scolytus

Scyphophorus acupunctatus
Selenaspidus antsingyi
Selenaspidus littoralis
Sesamia cretica
Sirex noctilio
Sitophilus granarius
Sminthurus viridis
Solenopsis invicta
Solenopsis richteri
Solenopsis richteri × *Solenopsis*
Solenopsis xyloni
Sphaeraspis vitis
Spilonota lechriaspis
Spilonota pyrusicola
Spodoptera eridania
Spodoptera frugiperda
Spodoptera littoralis
Stenoma catenifer
Taeniothrips samdensis
Tecia solanivora
Tessaratomya papillosa
Tetropium castaneum
Tetropium fuscum
Tetropium gracilicorne
Thrips spp.
Tomicus piniperda
Toxotrypana curvicauda
Trioza erytraeae
Trogoderma granarium
Unaspis citri
Urocerus japonicas
Voraspis tangana
Wasmannia auropunctata
Xyleborus affinis
Xyleborus ferrugineus
Xyleborus rugatus
Xylopsocus capucinus
Xylotrechus altaicus
Xyphon (formerly *Carneocephala*) *fulgida*
Yponomeuta malinellus
Zabrotes subfasciatus

蟎類 (32 種)

Acarapis woodi
Aculops fuchsiae

Aculus schlechtendali
Bryobia eharai
Bryobia rubrioculus
Cochlodispus operosus
Eotetranychus carpini
Eotetranychus pruni
Epitrimerus pyri
Eriophyes gossypii
Mononychellus tanajoa
Oligonychus gossypii
Oligonychus grypus
Oligonychus indicus
Oligonychus peruvianus
Oligonychus punicae
Oligonychus sacchari
Oligonychus yothersi
Panonychus ulmi
Petrobia latens
Phyllocoptes aphrastus
Phytoseius hongkongensis
Schizotetranychus andreopogoni
Schizotetranychus asparagi
Tetranychus canadensis
Tetranychus marianae
Tetranychus mcdanieli
Tetranychus mexicanus
Tetranychus pacificus
Tetranychus turkestanii
Tropilaelaps clareae
Varroa sinhai

病毒類 (464 種)

Abutilon mosaic virus (AbMV) (*Geminiviridae*, *Begomovirus*)
Ageratum yellow vein virus (AYVV) (*Geminiviridae*, *Begomovirus*)
African cassava mosaic virus (ACMV) (*Geminiviridae*, *Begomovirus*)
Agropyron mosaic virus (AgMV) (*Potyviridae*, *Bymovirus*)
Alfalfa cryptic virus 1 (ACV-1) (*Partitiviridae*, *alphacryptovirus*)
Alfalfa enation virus
Alfalfa mosaic virus (AIMV) (*Bromoviridae*, *alfamovirus*)
Alsike clover vein mosaic virus
Alstroemeria mosaic virus (AIMV) (*Potyviridae*, *potyvirus*)
Amaranthus leaf mottle virus (AmLMV) (*Potyviridae*, *potyvirus*)
American plum line pattern virus (APLPV) (*Bromoviridae*, *Ilarvirus*)
Andean potato latent virus (APLV) (*Tymovirus*)
Andean potato mottle virus (APMoV) (*Comoviridae*, *Comovirus*)

Anthoxanthum latent blanching virus (ALBV) (Hordeivirus)
Anthriscus yellows virus (AYV) (Sequiviridae, waikavirus)
Apple chat fruit disease
Apple chlorotic leaf spot virus (ACLSV) (Trichovirus, Flexiviridae)
Apple dimple fruit viroid (ADFVd) (Apscaviroid, Pospiviroidae)
Apple mosaic virus (ApMV) (Bromoviridae, Ilarvirus)
Apple scar skin viroid (ASSVd) (Pospiviroidae, Apscaviroid)
Apple stem grooving virus (ASGV) (Capillovirus, Flexiviridae)
Apple stem pitting virus (ASPV) (Foveavirus, Flexiviridae)
Araujia mosaic virus (ArjMV) (Potyviridae, potyvirus)
Arracacha Virus A (AVA) (Comoviridae, Nepovirus)
Arracacha Virus B (AVB) (Comoviridae, Nepovirus)
Arracacha Virus Y (AVY) (Potyviridae, potyvirus)
Artichoke Italian latent virus (AILV) (Comoviridae, nepovirus)
Artichoke latent virus (ArLV) (Potyviridae, potyvirus)
Artichoke mottled crinkle virus (AMCV) (Tombusviridae, Tombusvirus)
Artichoke yellow ringspot virus (AYRSV) (Comoviridae, Nepovirus)
Asparagus virus 1 (AV-1) (Potyviridae, potyvirus)
Asparagus virus 2 (AV-2) (Bromoviridae, ilarvirus)
Asparagus virus 3 (AV-3) (Potexvirus)
Banana bunchy top virus (BBTV) (Nanovirus)
Barley mild mosaic virus (BaMMV) (Potyviridae, bymovirus)
Barley mosaic virus (BBV)
Barley yellow dwarf virus-GPV (BYDV-GPV) (Luteovirus)
Barley yellow mosaic virus (BaYMV) (Potyviridae, Bymovirus)
Barley yellow striate mosaic virus (BYSMV) (Rhabdoviridae, Cytorhabdovirus)
Bean calico mosaic virus (BCaMV) (Geminiviridae, Begomovirus)
Bean common mosaic virus (Potyviridae, potyvirus)
Bean golden mosaic virus (BGMV) (Geminiviridae, Begomovirus)
Bean leaf roll virus (BLRV) (Luteoviridae, luteovirus)
Bean mild mosaic virus (BMMV) (Tombusviridae, carmovirus)
Bean pod mottle virus (BPMV) (Comoviridae, comovirus)
Bean rugose mosaic virus (BRMV) (Comoviridae, comovirus)
Bean southern mosaic virus (SBMV) (sobemovirus)
Bean yellow vein banding virus (BYVBV) (Umbravirus)
Beet distortion mosaic virus
Beet mild yellowing virus (BMYV) (Luteoviridae, luteovirus)
Beet mosaic virus (BtMV) (Potyviridae, potyvirus)
Beet soil-borne virus (BSBV) (Pomovirus)
Beet western yellows virus (BWYV) (Luteoviridae, luteovirus)
Beet yellows virus (BYV) (Closteroviridae, closterovirus)
Beet yellow stunt virus (BYSV) (Closteroviridae, closterovirus)
Beet curly top virus (BCTV) (Geminiviridae, Curtomovirus)
Beet leaf curl virus (BLCV) (Rhabdoviridae)
Beet necrotic yellow vein virus (BNYVV) (Benyvirus)

Belladonna mottle virus (BeMV) (Tymovirus)
Bermuda grass etched-line virus (BELV) (Marafivirus)
Bhendi yellow vein mosaic virus (BYVMV) (Geminiviridae, Begomovirus)
Bidens mosaic virus (BiMV) (Potyviridae, potyvirus)
Bidens mottle virus (BiMoV)(Potyviridae, potyvirus)
Black raspberry latent ilarvirus
Black raspberry necrosis virus (BRNV)
Blackcurrant reversion associated virus (BRAV) (Comoviridae, Nepovirus)
Blueberry leaf mottle virus (BLMoV) (Comoviridae, Nepovirus)
Blueberry necrotic shock virus (BIShV) (ilarvirus)
Blueberry red ringspot virus (BRRV) (Caulimoviridae, caulimovirus)
Blueberry scorch virus (BBScV) (carlavirus)
Blueberry shoestring virus (BSSV) (sobemovirus)
Broad bean B virus
Broad bean necrosis virus (BBNV) (Pomovirus)
Broad bean severe chlorosis virus (Closteroviridae, closterovirus)
Broad bean stain virus(BBSV) (Comoviridae, comovirus)
Broad bean true mosaic virus (BBTMV) (Comoviridae, comovirus)
Broad bean wilt virusd (BBWV) (Comoviridae, fabavirus)
Broad bean yellow ringspot virus
Broad bean yellow vein virus (Rhabdoviridae, cytorhabdovirus)
Broccoli necrotic yellows virus (BNYV) (Rhabdoviridae, cytorhabdovirus)
Brome mosaic virus (BMV) (Bromoviridae, bromovirus)
Brome streak mosaic virus (BrStMV) (Potyviridae, Tritimovirus)
Burdock mosaic virus
Burdock mottle virus
Burdock yellows virus (BuYV) (Closteroviridae, closterovirus)
Cacao necrosis virus (CNV) (Comoviridae, nepovirus)
Cacao swollen shoot virus (CSSV) (Caulimoviridae, badnavirus)
Cacao yellow mosaic virus (CYMV) (Tymovirus)
Cactus virus (CV-2) (Carlavirus)
Canna yellow mottle VIRUS (CaYMV) (Caulimoviridae, badnavirus)
Caper latent virus (CapLV) (Carlavirus)
Cardamine chlorotic fleck virus (CCFV) (Tombusviridae, carmovirus)
Cardamom mosaic virus (CdMV) (Potyviridae, potyvirus)
Carnation cryptic virus I(CCV-1) (Partitiviridae, alphacryptovirus)
Carnation etched ring virus (CERV) (Cualimoviridae, caulimovirus)
Carnation Italian ringspot virus (CIRV) (Tombusviridae, tombusvirus)
Carnation latent virus (CLV) (Carlavirus)
Carnation mottle virus (CarMV) (Carmovirus)
Carnation necrotic fleck virus (CNFV) (Clostreoviridae, closterovirus)
Carnation ringspot virus (CRSV) (Tombusviridae, dianthovirus)
Carnation vein mottle virus (CVMoV) (Potyviridae, potyvirus)
Carrot latent virus (CtLV) (Rhabdoviridae, nucleorhabdovirus)
Carrot mottle mimic virus (CmoMV) (Umbravirus)

Carrot mottle virus (CMoV) (Umbravirus)
Carrot red leaf virus (CtRLV) (Luteoviridae, luteovirus)
Carrot temperate virus 1 (CteV-1) (Partitiviridae, alphacryptovirus)
Carrot temperate virus 2 (CteV-2) (Partitiviridae, betacryptovirus)
Carrot temperate virus 3 (CteV-3) (Partitiviridae, alphacryptovirus)
Carrot temperate virus 4 (CteV-4) (Partitiviridae, alphacryptovirus)
Carrot thin leaf virus (CTLV) (Potyviridae, potyvirus)
Cowpea chlorotic mottle virus (CCMV) (Bromoviridae, Bromovirus)
Cowpea golden mosaic virus (CPGMV) (Geminiviridae, Begomovirus)
Cowpea green vein-banding virus (CGVBV) (Potyviridae, Potyvirus)
Cowpea mosaic virus (CPMV) (Comoviridae, Comovirus)
Cowpea rugose mosaic virus (CPRMV) (Potyviridae, Potyvirus)
Cowpea severe mosaic virus (CPSMV) (Comoviridae, Comovirus)
Cowpea stunt virus (Luteovirus)
Cassava African mosaic virus (ACMV) (Geminiviridae, bigeminivirus)
Cassava green mottle virus (CaGMV) (Comoviridae, nepovirus)
Cassava Indian mosaic virus (ICMV) (Geminiviridae, bigeminivirus)
Cassava Ivorian bacilliform virus (CsIBV) (Ourmiavirus)
Cassava virus X (CsVX) (Potexvirus)
Cassia mosaic virus
Cassia ringspot virus
Cassia yellow blotch virus (CYBV) (Bromoviridae, bromovirus)
Cassia yellow spot virus (CasYSV) (Potyviridae, potyvirus)
Cauliflower mosaic virus (CaMV) (Caulimoviridae, caulimovirus)
Celery mosaic virus (CeMV) (Potyviridae, potyvirus)
Cereal northern mosaic virus (NCMV) (cytorhabdovirus)
Cassava brown streak virus (CsBSV) (Potyviridae, Ipomovirus)
Cassava common mosaic virus (CsCMV) (Potexvirus)
Cereal chlorotic mosaic virus (CCMoV) (Rhabdoviridae)
Cherry green ring mottle virus (CGRMV) (Foveavirus)
Cherry leaf roll virus (CLRV) (Comoviridae, Nepovirus)
Cherry mottle leaf virus (CMLV) (Trichovirus)
Cherry rasp leaf virus (CRLV) (Comoviridae, Nepovirus)
Cherry virus A (CVA) (Capillovirus)
Chickpea bushy dwarf virus (CpBDV) (Potyviridae, potyvirus)
Chickpea distortion mosaic virus (Potyviridae, potyvirus)
Chicory virus (ChVX) (potexvirus)
Chicory yellow mottle virus (ChYMV) (Comoviridae, nepovirus)
Chino del tomate virus (CdTV) (Geminiviridae, bigeminivirus)
Chloris striate mosaic virus (CSMV) (Geminiviridae, monogeminivirus)
Chrysanthemum virus B (CVB) (Carlavirus)
Citrus blight disease
Citrus leprosis virus (CiLV) (Rhabdoviridae)
Citrus yellow mosaic virus (CiYMV) (Caulimoviridae, Badnavirus)
Citrus leaf rugose virus (CiLRV) (Rhabdoviridae, ilarvirus)

Citrus ringspot virus
Citrus sudden death-associated virus (CSD- associated virus) (*Marafivirus*, *Tymoviridae*)
Citrus variegation virus (CVV) (*Bromoviridae*, *ilarvirus*)
Clitoria yellow vein virus (CYVV) (*Tymovirus*)
Clover mild mosaic virus
Clover wound tumor virus (WTV) (*Phytoreovirus*)
Clover yellow mosaic virus (CIYMV) (*potexvirus*)
Clover yellows virus (CYV) (*Closteroviridae*, *closterovirus*)
Clover yellow vein virus (CIYVV) (*Potyviridae*, *potyvirus*)
Cocksfoot mottle virus (CoMV) (*Sobemovirus*)
Coconut foliar decay virus (CFDV) (*Nanavirus*)
Commelina diffusa virus (*Potyviridae*, *potyvirus*)
Commelina mosaic virus (ComMV) (*Potyviridae*, *potyvirus*)
Commelina virus X (ComVX) (*potexvirus*)
Commelina yellow mottle virus (ComYMV) (*Caulimoviridae*, *badnavirus*)
Cocksfoot mild mosaic virus (CoMV) (*Sobemovirus*)
Cocoa mottle leaf virus
Cocoa necrosis virus (CoNV) (*Comoviridae*, *Nepovirus*)
Cocoa swollen shoot virus (CSSV) (*Caulimoviridae*, *Badnavirus*)
Cocoa yellow mosaic virus
Colombian datura virus (CDV) (*Potyviridae*, *Potyvirus*)
Coriander feathery red vein virus (CFRVV) (*Rhabdoviridae*, *nucleorhabdovirus*)
Cotton leaf curl virus (CLCuV) (*Geminiviridae*, *Begomovirus*)
Cotton leaf crumple virus (CLCrV) (*Geminiviridae*, *bigeminivirus*)
Cowpea mild mottle virus (CPMMV) (*Carlavirus*)
Crimson clover latent virus (CCLV) (*Comoviridae*, *nepovirus*)
Crinum mosaic virus (CriMV) (*Potyviridae*, *potyvirus*)
Croton yellow vein mosaic virus (CYVMV) (*Geminiviridae*, *bigeminivirus*)
Cucumber green mottle mosaic virus (CGMMV) (*Tobamovirus*)
Cucumber leaf spot virus (CLSV) (*Tombusviridae*, *carmovirus*)
Cucumber necrosis virus (CuNV) (*Tombusviridae*, *tombusvirus*)
Cucumber soil-borne virus (CuSBV) (*Tombusviridae*, *carmovirus*)
Cucumber vein yellowing virus (CVYV)
Cucurbit chlorotic yellows virus (CCYC) (*Closteroviridae*, *Crinivirus*)
Cycas necrotic stunt virus (CNSV) (*Comoviridae*, *nepovirus*)
Cymbidium ringspot virus (CymRSV) (*Tombusviridae*, *tombusvirus*)
Cynodon chlorotic streak virus
Cynosurus mottle virus (CnMoV) (*Sobemovirus*)
Dahlia mosaic virus (DMV) (*Caulimoviridae*, *caulimovirus*)
Dandelion latent virus (DaLV) (*Carlavirus*)
Dandelion yellow mosaic virus (DaYMV) (*Sequiviridae*, *sequivirus*)
Daphne virus X (DVX) (*Potexvirus*)
Daphne virus Y (DVY) (*Potyviridae*, *potyvirus*)
Datura Colombian virus (CDV) (*Potyviridae*, *potyvirus*)
Datura distortion mosaic virus (DDMV) (*Potyviridae*, *potyvirus*)

Datura necrosis virus (DNV) (*Potyviridae, potyvirus*)
Datura shoestring virus (DSTV) (*Potyviridae, potyvirus*)
Datura yellow vein virus (DYVV) (*Rhabdoviridae, nucleorhabdovirus*)
Datura distortion virus
Datura enation mosaic virus
Dendrobium mosaic virus (DeMV) (*Potyviridae, potyvirus*)
Desmodium mosaic virus (DesMV) (*Potyviridae, potyvirus*)
Desmodium yellow mottle virus (DYMV) (*Tymovirus*)
Digitaria streak virus (DSV) (*Geminiviridae, monogeminivirus*)
Digitaria striate mosaic (DiSMV) (*Geminiviridae, monogeminivirus*)
Dioscorea alata virus (*Potyviridae, potyvirus*)
Dioscorea bacilliform virus (DBV) (*Caulimoviridae, badnavirus*)
Dioscorea green banding mosaic virus (*Potyviridae, potyvirus*)
Dodonaea yellows-associated virus
Dolichos yellow mosaic virus (DoMYV) (*Geminiviridae, bigeminivirus*)
Dulcamara mottle virus (DuMV) (*Tymovirus*)
Eggplant green mosaic virus (EGMV) (*Potyviridae, potyvirus*)
Eggplant mottled dwarf virus (EMDV) (*Rhabdoviridae, nucleorhabdovirus*)
Elderberry virus (EV) (*Carlavirus 1*)
Epirus cherry virus (EpCV) (*Ourmiavirus*)
Erysimum latent virus (ErLV) (*Tymovirus*)
Echinochloa ragged stunt virus (ERSV) (*Reoviridae, Oryzavirus*)
Elm mottle virus (EMoV) (*Bromoviridae, Ilarvirus*)
European wheat striate mosaic virus (EWSMV) (*Tenuivirus*)
Euphorbia mosaic virus (EuMV) (*Geminiviridae, bigeminivirus*)
Euphorbia ringspot virus (EuRV) (*Potyviridae, potyvirus*)
Faba bean necrotic yellows virus (FBNYV) (*Nanovirus*)
Festuca leaf streak virus (FLSV) (*Rhabdoviridae, cytorhabdovirus*)
Fig virus S (FVS) (*Carlavirus*)
Figwort mosaic virus (FMV) (*Caulimoviridae, caulimovirus*)
Foxtail mosaic virus (FoMV) (*Potexvirus*)
Frangipani mosaic virus (FrMV) (*Tobamovirus*)
French bean mosaic virus
Freesia leaf necrosis virus (FLNV) (*Varicosavirus*)
Freesia mosaic virus (FreMV) (*Potyviridae, Potyvirus*)
Galinsoga mosaic virus (GaMV) (*Tombusviridae, carmovirus*)
Glycine mosaic virus (GMV) (*Comoviridae, Comovirus*)
Grapevine Algerian latent virus (GALV) (*Tombusviridae, Tombusvirus*)
Grapevine asteroid mosaic virus
Grapevine berry inner necrosis virus (GINV) (*Trichovirus*)
Grapevine Bulgarian latent virus (GBLV) (*Comoviridae, Nepovirus*)
Grapevine chrome mosaic virus (GCMV) (*Comoviridae, Nepovirus*)
Grapevine stem pitting associated closterovirus (*Closteroviridae, Closterovirus*)
Grapevine Tunisian ringspot virus (GTRSV) (*Comoviridae, Nepovirus*)
Grapevine fanleaf virus (GFLV) (*Comoviridae, nepovirus*)

Grapevine fleck virus (GFkV)
Grapevine stunt virus
Grapevine vein necrosis virus
Grapevine virus B (GVB) (*Vitivirus*, *Flexiviridae*)
Groundnut chlorotic leaf streak virus
Groundnut chlorotic spotting virus
Groundnut rosette assistor virus (GRAV) (*Luteoviridae*, *Enamovirus*)
Groundnut rosette virus (GRV) (*Umbravirus*)
Groundnut eyespot virus (GEV) (*Potyviridae*, *Potyvirus*)
Guar symptomless virus (GSLV) (*Potyviridae*, *Potyvirus*)
Guar top necrosis virus
Guinea grass mosaic virus (GGMV) (*Potyviridae*, *Potyvirus*)
Helenium virus S (HVS) (*Carlavirus*)
Helenium virus Y (HVY) (*Potyviridae*, *Potyvirus*)
Henbane mosaic virus (HBMV) (*Potyviridae*, *Potyvirus*)
Heracleum latent virus (HLV) (*Vitivirus*)
Hibiscus latent ringspot virus (HLRSV) (*Comoviridae*, *nepovirus*)
Hibiscus chlorotic ringspot virus (HCRSV) (*Tombusviridae*, *Carmovirus*)
Hippeastrum mosaic virus
Honeysuckle latent virus (LnLV) (*Carlavirus*)
Hop American latent (AHLV) (*Carlavirus*)
Hop latent virus (HpLV) (*Carlavirus*)
Hop mosaic virus (HpMV) (*Carlavirus*)
Hop trefoil cryptic virus 1 (HTCV-1) (*Partitiviridae*, *alphacryptovirus*)
Hop trefoil cryptic virus 2 (HTCV-2) (*Partitiviridae*, *betacryptovirus*)
Hop trefoil cryptic virus 3 (HTCV-3) (*Partitiviridae*, *alphacryptovirus*)
Hop stunt viroid (HpSVd) (*Hostuviroid*, *Pospiviroidae*)
Hordeum mosaic virus (HoMV) (*Potyviridae*, *Potyvirus*)
Humulus japonicus virus (HJV) (*Bromoviridae*, *ilarvirus*)
Hyacinth mosaic virus (HyaMV) (*Potyviridae*, *Potyvirus*)
Hydrangea mosaic virus (HdMV) (*Bromoviridae*, *ilarvirus*)
Hydrangea ringspot virus (HRSV) (*Potexvirus*)
Horsegram yellow mosaic virus (HgYMV) (*Geminiviridae*, *Begomovirus*)
Iris fulva mosaic virus (IFMV) (*Potyviridae*, *Potyvirus*)
Iris Japanese necrotic ring virus
Iris mild mosaic virus (IMMV) (*Potyviridae*, *Potyvirus*)
Iris severe mosaic virus (ISMV) (*Potyviridae*, *Potyvirus*)
Impatiens necrotic spot virus (INSV) (*Bunyaviridae*, *Tospovirus*)
Indian peanut clump virus (IPCV) (*Pecluvirus*)
Indonesian soybean dwarf virus (ISDV) (*Luteoviridae*, *Enamovirus*)
Iranian maize mosaic virus
Jatropha mosaic virus (JMV) (*Geminiviridae*, *bigeminivirus*)
Johnsongrass mosaic (JGMV) (*Potyviridae*, *Potyvirus*)
Kalanchoe isometric virus
Kalanchoe latent virus (KLV) (*Carlavirus*)

Kalanchoe top-spotting virus (KTSV) (*Caulimoviridae*, *badnavirus*)
Kennedy yellow mosaic virus (KYMV) (*Tymovirus*)
Kennedy virus Y (KVY) (*Potyviridae*, *Potyvirus*)
Kyuri green mottle mosaic virus (KGMMV) (*Tobamovirus*)
Konjac mosaic virus (KoMV) (*Potyviridae*, *Potyvirus*)
Kober stem grooving
Lamium mild mottle virus (LMMV) (*Comoviridae*, *fabavirus*)
Lato River virus (LRV) (*Tombusviridae*, *tombusvirus*)
Leek yellow stripe virus (LYSV) (*Potyviridae*, *potyvirus*)
Lettuce big-vein virus (LBVV) (*Varicosavirus*)
Lettuce mosaic virus (LMV) (*Potyviridae*, *potyvirus*)
Lettuce necrotic yellows virus (LNYV) (*Rhabdoviridae*, *cytorhabdovirus*)
Lettuce speckles mottle virus (LSMV) (*Umbravirus*)
Lilac chlorotic leafspot virus (LCLV) (*Capillovirus*)
Lilac mottle virus (LiMV) (*Carlavirus*)
Lilac ring mottle virus (LRMV) (*Bromoviridae*, *ilarvirus*)
Lily mottle virus (LMoV) (*Potyviridae*, *potyvirus*)
Lily virus X (LVX) (*Potexvirus*)
Lettuce infectious yellows virus (LIYV) (*Closteroviridae*, *Crinivirus*)
Limabean golden mosaic virus (LGMV) (*Geminiviridae*, *Begomovirus*)
Little cherry virus (LChV) (*Closteroviridae*, *Closterovirus*)
LN33 stem grooving
Lucerne Australian symptomless virus (LASV) (*Comoviridae*, *Nepovirus*)
Lucerne vein yellowing virus
Lucerne transient streak virus (LTSV) (*Sobemovirus*)
Lychnis ringspot virus (LRSV) (*Hordeivirus*)
Maclura mosaic virus (MacMV) (*Potyviridae*, *macluravirus*)
Maize chlorotic dwarf virus (MCDV) (*Sequiviridae*, *waikavirus*)
Maize chlorotic mottle virus (MCMV) (*Tombusviridae*, *machlomovirus*)
Maize dwarf mosaic virus (MDMV) (*Potyviridae*, *potyvirus*)
Maize line virus
Maize mosaic virus (MMV) (*Rhabdoviridae*, *nucleorhabdovirus*)
Maize rayado fino virus (MRFV) (*Marafivirus*)
Maize white line mosaic virus (MWLMV)
Maize mottle/chlorotic stunt virus
Maize rough dwarf virus (MRDV) (*Reoviridae*, *Fijivirus*)
Maize streak virus (MSV) (*Genimiviridae*, *Mastrevirus*)
Malvastrum mottle virus
Malva vein clearing virus (MVCV) (*Potyviridae*, *potyvirus*)
Marigold mottle virus (MaMoV) (*Potyviridae*, *potyvirus*)
Melandrium yellow fleck virus (MYFV) (*Bromoviridae*, *bromovirus*)
Melon leaf curl virus (MLCV) (*Geminiviridae*, *bigeminivirus*)
Melon necrotic spot virus (MNSV) (*Tombusviridae*, *carmovirus*)
Melon Ourmia virus (OuMV) (*Ourmiavirus*)
Melon rugose mosaic virus (MRMV) (*Tymovirus*)

Milk vetch dwarf virus (MDV) (Nanovirus)
Mimosa mosaic virus
Mirabilis mosaic virus (MiMV) (Caulimovirus)
Miscanthus streak virus (MiSV) (Geminiviridae, monogeminivirus)
Mulberry latent virus (MLV) (Carlavirus)
Mulberry ringspot virus (MRSV)(Comoviridae, nepovirus)
Mung bean yellow mosaic virus (MYMV) (Geminiviridae, bigeminivirus)
Muskmelon vein necrosis virus (MuVNV)(Carlavirus)
Myrobalan latent ringspot virus (MLRSV) (Comoviridae, nepovirus)
Narcissus latent virus (NLV)(Potyviridae, macluravirus)
Narcissus mosaic virus (NMV) (Potexvirus)
Narcissus yellow stripe virus (Potyviridae, potyvirus)
Natsudaiddai dwarf virus (NDV) (Sadwavirus)
Neckar River virus (NRV) (Tombusviridae, tombusvirus)
Nerine latent virus (NeLV) (Carlavirus)
Nerine virus (NV) (Potyviridae, potyvirus)
Nerine virus X(NVX) (Potexvirus)
Northern cereal mosaic virus (NCMV) (Rhabdoviridae, Cytorhabdovirus)
Oak ringspot virus
Oat blue dwarf virus (OBDV) (Marafivirus)
Oat golden stripe virus (OGSV) (Furovirus)
Oat mosaic virus (OMV)(Potyviridae, bymovirus)
Oat necrotic mottle virus (ONMV) (Potyviridae, rymovirus)
Oat red streak mosaic virus
Oat sterile dwarf virus (OSDV) (Reoviridae, Fijivirus)
Okra leaf-curl virus(OLCV) (Geminivirus, bigeminivirus)
Okra mosaic virus (OkMV) (Tymovirus)
Olive latent ringspot virus (OLRSV) (Comoviridae, nepovirus)
Ononis yellow mosaic virus (OYMV)(Tymovirus)
Opuntia Sammons' virus (SOV) (Tobamovirus)
Ornithogalum mosaic virus
Pangola stunt virus (PaSV)(Reoviridae, Fijivirus)
Panicum streak virus (PanSV) (Geminiviridae, monogeminivirus)
Papaya leaf curl virus (PaLCuV) (Begomovirus, Geminiviridae)
Papaya meleira virus (PMeV)
Papaya mosaic virus (PapMV) (Potexvirus, Flexiviridae)
Paprika mild mottle virus (PaMMV) (Tobamovirus)
Parietaria mottle virus (PmoV)(Bromoviridae, ilarvirus)
Parsnip leafcurl virus
Parsnip mosaic virus (ParMV)
Parsnip yellow fleck virus (PYFV)(Sequiviridae, sequivirus)
Paspalum striate mosaic virus (PSMV)(Geminiviridae, monogeminivirus)
Passiflora latent virus (PLV)(Carlavirus)
Passiflora South African virus (Potyviridae, potyvirus)
Passiflora ringspot virus (PFRSV) (Potyviridae, potyvirus)

Passionfruit woodiness virus (PWV) (Potyviridae, potyvirus)
Passionfruit yellow mosaic virus (PaYMV)(Tymovirus)
Patchouli mosaic virus (Potyviridae, potyvirus)
Pea early browning virus (PEBV) (Tobravirus)
Pea enation mosaic virus-1 (PEMV-1) (Luteovirus)
Pea enation mosaic virus-2 (PEMV-2) (Umbravirus)
Pea mild mosaic virus (PmiMV) (Comoviridae, comovirus)
Pea mosaic virus (Potyviridae, potyvirus)
Peanut chlorotic streak virus (PCSV) (Caulimoviridae, caulimovirus)
Peanut green mosaic virus (Potyviridae, potyvirus)
Peanut stunt virus (PSV) (Bromoviridae, cucumovirus)
Peanut yellow spot virus (PeYMV) (Tospovirus)
Peach American mosaic virus
Peach latent mosaic viroid(PLMVd)
Peach mosaic virus (PMV) (Trichovirus)
Peach rosette mosaic virus (PRMV) (Comoviridae, Nepovirus)
Peanut clump virus (PCV) (Pecluvirus)
Pear blister canker viroid (PBCVd) (Pospiviroidae, Apscaviriod)
Pear necrotic spot virus
Pineapple bacilliform virus (PBV) (Badnavirus, Caulimoviridae)
Pineapple mealybug wilt-associated virus-1 (PMWaV-1) (Ampelovirus, Closteroviridae)
Pineapple mealybug wilt-associated virus-2 (PMWaV-2) (Ampelovirus, Closteroviridae)
Plum American line pattern virus (APLPV) (Ilarvirus, Bromoviridae)
Plum bark split virus
Plum pox virus (PPV) (Potyviridae, Potyvirus)
Plum rusty blotch
Potato black ringspot virus (PBRV) (Comoviridae, Nepovirus)
Potato deforming mosaic virus
Potato mop-top virus (PMTV) (Pomovirus)
Potato virus T (PVT) (Trichovirus)
Potato virus U (PVU) (Comoviridae, Nepovirus)
Potato virus V (PVV) (Potyviridae, Potyvirus)
Potato yellow dwarf virus (PYDV) (Rhabdoviridae, Nucleorhabdovirus)
Potato yellow vein virus (PYVV) (Closteroviridae, Crinivirus)
Potato yellowing virus
Prune dwarf virus (PDV) (Bromoviridae, Ilarvirus)
Prunus necrotic ringspot virus (PNRSV) (Bromoviridae, Ilarvirus)
Raspberry leaf curl virus
Raspberry ringspot virus (RpRSV) (Comoviridae, Nepovirus)
Red clover mottle virus (RCMV) (Comoviridae, Comovirus)
Rice gall dwarf virus (RGDV) (Reoviridae, Phytoreovirus)
Rice tungro bacilliform virus (RTBV) (Caulimoviridae, Rice tungro bacilliform-like virus)
Rice tungro spherical virus (RTSV) (Sequiviridae, Waikavirus)
Rice yellow mottle virus (RYMV) (Sobemovirus)
Rupestris stem pitting-associated virus (Foveavirus, Flexiviridae)

Squash leaf curl virus (SLCV) (Geminiviridae, Begomovirus)
Squash mosaic virus (SqMV) (Comoviridae, Comovirus)
Strawberry latent ringspot virus (SLRSV) (Sadwavirus)
Strawberry veinbanding virus (SVBV) (Caulimoviridae, Caulimovirus)
Sugarcane yellow leaf virus (ScYLV) (Polerovirus, Luteoviridae)
Tomato black ring virus (TBRV) (Comoviridae, Nepovirus)
Tobacco rattle virus (TRV) (Tobravirus)
Tobacco ringspot virus (TRSV) (Comoviridae, Nepovirus)
Tobacco mosaic virus (TMV) (Tobamovirus)
Tobacco necrosis virus
Tobacco streak virus (TSV) (Ilarvirus, Bromoviridae)
Tomato bushy stunt virus (TBSV) (Tombusvirus, Tombusviridae)
Tomato mottle virus (ToMoV) (Geminiviridae, Begomovirus)
Tomato ringspot virus (ToRSV) (Comoviridae, Nepovirus)
Tomato yellow leaf curl virus (TYLCV) (Geminiviridae, Begomovirus)
Tulare apple mosaic virus (TAMV) (Ilarvirus, Bromoviridae)
Tulip breaking virus
Ullucus virus C (UVC)(Comoviridae,comovirus)
Ullucus mild mottle virus (UMMV)(Tobamovirus)
Ullucus mosaic virus (UMV) (Potyviridae,potyvirus)
Urd bean leaf crinkle virus
Vallota mosaic virus (ValMV) (Potyviridae,potyvirus)
Vanilla mosaic virus (VanMV) (Potyviridae, potyvirus)
Vanilla necrosis virus(Potyviridae, potyvirus)
Velvet tobacco mottle virus (VTMoV)(Sobemovirus)
Viola mottle virus (VMV)(Potexvirus)
Voandzeia distortion mosaic virus (Potyviridae, potyvirus)
Voandzeia necrotic mosaic virus (VNMV) (Tymovirus)
Watercress yellow spot virus (WYSV)
Watermelon chlorotic stunt virus (WmCSV)(Geminiviridae,bigeminivirus)
Watermelon curly mottle virus (WmCMV)(Geminiviridae, bigeminivirus)
Watermelon mosaic virus 2(WMV-2) (Potyviridae, potyvirus)
Wheat American striate mosaic virus (WASMV)(Rhabdovirus, ucleorhabdovirus)
Wheat yellow leaf virus (WYLV) (Closteroviridae, Closterovirus)
Wheat dwarf virus (WDV) (Geminiviridae,monogeminivirus)
Wheat soil-borne mosaic virus (SBWMV)(Furovirus)
Wheat streak mosaic virus (WSMV)(Potyviridae, rymovirus)
Wheat spindle streak mosaic virus (WSSMV) (Potyviridae,bymovirus)
Wheat yellow mosaic virus (WYMV)(Potyviridae, bymovirus)
White clover mosaic virus(WCIMV)(Potexvirus)
Wild cucumber mosaic virus (WCMV)(Tymovirus)
Wild potato mosaic (WPMV) (Potyviridae, Potyvirus)
Wineberry latent virus (WLV)
Wisteria vein mosaic virus (WVMV) (Potyviridae, Potyvirus)
Yam mosaic virus (YMV) (Potyviridae, Potyvirus)

Zucchini yellow fleck virus (ZYFV) (Potyviridae, Potyvirus)

備註：以上病毒之媒介有害生物亦一併列入管制

軟體動物類（13 種）

Achatina achatina

Achatina fulica

Archachatina degneri

Archachatina purpurea

Archachatina ventricosa

Bradybaena similaaris

Cepaea nemoralis

Eobania vermiculata

Helix aspersa

Lehmannia valentiana

Otala lactea

Succinea costaricana

Theba pisana