


檔 號：
保存年限：

行政院農業委員會 公告

發文日期：中華民國101年7月20日
發文字號：農防字第1011490677號
附件：如文



主旨：修正「中華民國輸入植物或植物產品檢疫規定」部分規定如附件，並自即日生效。

依據：植物防疫檢疫法第十四條第一項及第十六條第二項規定。

公告事項：修正「中華民國輸入植物或植物產品檢疫規定」部分規定如下：

- 一、修正甲、禁止輸入之植物或植物產品第一點第三十七項「國家或地區欄」規定，將中國大陸山東省自疫區排除。
- 二、訂定「中國大陸產櫻桃鮮果實輸入檢疫條件」。
- 三、修正乙、有條件輸入之植物或植物產品第二點，增列第十四項「中國大陸產櫻桃鮮果實輸入檢疫條件」規定。
- 四、修正乙、有條件輸入之植物或植物產品第十點檢疫有害生物清單，昆蟲類增列四種、病毒類增列一種、蟎類增列一種有害生物，及修正部分有害生物之學名。

副本：

主任委員 陳保基

中華民國輸入植物或植物產品檢疫規定部分規定修正規定

甲、禁止輸入之植物或植物產品

依據：植物防疫檢疫法第十四條第一項規定。

一、禁止輸入之植物或植物產品之名稱及其部位、國家或地區、禁止原因如下表：

植 物 名 稱 及 其 部 位	國 家 或 地 區	禁 止 原 因 (病 蟲 害 名 稱)
37. 下列植物之鮮果實： (1) 黃秋葵 (<i>Abelmoschus esculentus</i> = <i>Hibiscus esculentus</i>) (2) 榲桲柑 (<i>Aegle marmelos</i>) (3) 腰果 (<i>Anacardium occidentale</i>) (4) 番荔枝屬 (<i>Annona</i> spp.) (5) 檳榔 (<i>Areca catechu</i>) (6) 小菠蘿蜜 (<i>Artocarpus integer</i>) (7) 楊桃 (<i>Averrhoa carambola</i>) (8) 木奶果 (<i>Baccaurea racemosa</i>) (9) 波漆 (<i>Bouea macrophylla</i>) (10) 波漆屬之一種 (<i>Bouea oppositifolia</i>) (11) 香水樹 (<i>Cananga odorata</i>) (12) 白花菜屬 (<i>Capparis</i> spp.) (13) 玉蕊科之一屬 (<i>Careya</i> spp.) (14) 木瓜 (<i>Carica papaya</i>) (15) 卡梨撒屬之一種 (<i>Carissa carandas</i>) (16) 白柿 (<i>Casimiroa edulis</i>) (17) 金葉樹屬 (<i>Chrysophyllum</i> spp.) (18) 柑桔屬 (<i>Citrus</i> spp.) (19) 紅瓜 (<i>Coccinia grandis</i>) (20) 咖啡屬 (<i>Coffea</i> spp.)	亞洲及太平洋地區 (1) 緬甸 (2) 印度 (3) 中國大陸 (山東省除外) (4) 尼泊爾 (5) 巴基斯坦 (6) 菲律賓 (7) 斯里蘭卡 (8) 泰國 (9) 越南	番石榴果實蠅 (<i>Bactrocera correcta</i> (Bezzi))

- | | | |
|--|--|--|
| <p>(21) 甜瓜
(<i>Cucumis melo</i>)</p> <p>(22) 榲桲
(<i>Cydonia oblonga</i>)</p> <p>(23) 龍眼
(<i>Dimocarpus longan</i>
=<i>Euphoria logana</i>)</p> <p>(24) 柿屬
(<i>Diospyros</i> spp.)</p> <p>(25) 羯布羅香屬之一種
(<i>Dipterocarpus</i>
<i>obtusifolius</i>)</p> <p>(26) 杜英屬之一種
(<i>Elaeocarpus</i>
<i>madopetalus</i>)</p> <p>(27) 無花果
(<i>Ficus carica</i>)</p> <p>(28) 刺籬木 (<i>Flacourtia</i>
<i>indica</i>)</p> <p>(29) 印度李 (<i>Flacourtia</i>
<i>jangomas</i>)</p> <p>(30) 金柑屬 (<i>Fortunella</i> spp.)</p> <p>(31) 蛋樹
(<i>Garcinia xanthochymus</i>)</p> <p>(32) 三角柱屬 (<i>Hylocereus</i>
spp.)</p> <p>(33) 苦木科之一種
(<i>Irvingia malayana</i>)</p> <p>(34) 酒椰子屬之一種
(<i>Jubaea spectabilis</i>)</p> <p>(35) 紅光樹屬之一種
(<i>Knema angustifolia</i>)</p> <p>(36) 鱗花木 (<i>Lepisanthes</i>
<i>fruticosa</i>)</p> <p>(37) 番茄 (<i>Lycopersicon</i>
<i>esculentum</i>)</p> <p>(38) 長葉馬府油樹
(<i>Madhuca longifolia</i>)</p> <p>(39) 白花菜科之一種
(<i>Maerua siamensis</i>)</p> <p>(40) 西印度櫻桃
(<i>Malpighia emarginata</i>
=<i>M. glabra</i>)</p> <p>(41) 小蘋果
(<i>Malus sylvestris</i>)</p> <p>(42) 檬果
(<i>Mangifera indica</i>)</p> <p>(43) 人心果 (<i>Manilkara</i></p> | | |
|--|--|--|

<p> <i>zapota</i> = <i>Achras sapota</i> (44) 牛油果 (<i>Mimusops elengi</i>) (45) 文定果 (<i>Muntingia calabura</i>) (46) 芭蕉屬之一種 (<i>Musa paradisiaca</i>) (47) 鐵青樹屬之一種 (<i>Olax scandens</i>) (48) 霸王樹仙人掌 (<i>Opuntia vulgaris</i>) (49) 棗椰子 (<i>Phoenix dactylifera</i>) (50) 西印度醋栗 (<i>Phyllanthus acidus</i>) (51) 印度塔樹 (<i>Polyalthia longifolia</i>) (52) 枸橘屬 (<i>Poncirus spp.</i>) (53) 杏 (<i>Prunus armeniaca</i>) (54) 櫻桃 (<i>Prunus avium</i>) (55) 酸櫻桃 (<i>Prunus cerasus</i>) (56) 桃 (<i>Prunus persica</i>) (57) 番石榴 (<i>Psidium guajava</i>) (58) 石榴 (<i>Punica granatum</i>) (59) 西洋梨 (<i>Pyrus communis</i>) (60) 蓖麻 (<i>Ricinus communis</i>) (61) 山陀兒 (<i>Sandoricum koetjape</i>) (62) 檀香 (<i>Santalum album</i>) (63) 青皮木屬之一種 (<i>Schoepfia fragrans</i>) (64) 白飯樹 (<i>Securinega virosa</i>) (65) 酸棗屬 (<i>Spondias spp.</i>) (66) 飲料馬錢子 (<i>Strychnos potatorum</i>) </p>		
--	--	--

(67) 蒲桃屬 (<i>Syzygium</i> spp.= <i>Eugenia</i> spp.)		
(68) 欖仁 (<i>Terminalia catappa</i>)		
(69) 棟科之一種 (<i>Walsura intermedia</i>)		
(70) 棗屬 (<i>Ziziphus</i> spp.)		

乙、有條件輸入植物或植物產品之檢疫條件

依據：植物防疫檢疫法第十六條第二項規定。

二、「禁止輸入之植物或植物產品」經行政院農業委員會動植物防疫檢疫局認證同意輸入之國家、地區及其輸入植物或植物產品之檢疫條件如下表：

植物名稱及其部位	國家或地區	病蟲害名稱	檢疫條件
14. 下列植物之鮮果實： (1) 櫻桃(<i>Prunus avium</i>)	亞洲及太平洋地區 中國大陸	番石榴果實蠅 (<i>Bactrocera correcta</i> (<i>Bezzi</i>))	中國大陸山東省產櫻桃鮮果實依中國大陸產櫻桃鮮果實輸入檢疫條件辦理輸入。

十、輸入之植物或植物產品經檢疫結果證明有下列有害生物存在，應經適當之檢疫處理，確定該有害生物完全滅除後，始得輸入。無適當之檢疫處理方式可滅除該有害生物時，應予退運或銷燬。行政院農業委員會動植物防疫檢疫局得對下列有害生物之上分類群 (Taxa) 有害生物採取檢疫處理措施。

昆蟲類 (309 種)

Acalolepta cervina

Acanthoscelides obtectus

Acanthoscelides pallidipennis

Acleris gloverana

Acleris variana

Acrogonia terminalis

Acrolepiopsis assectella

Acropolitis rudisana

Adelges tsugae

Adoxophyes orana

Aeolesthes sarta

Aethina tumida

Afirmaspis socotrana

Agrilus mali

Amorbia emigratella

Anastrepha grandis

Anastrepha striata

Anastrepha suspensa

Anchastus swezeyi
Anomala sulcatula
Anthonomus bisignifer
Anthonomus eugenii
Anthonomus grandis
Aonidiella lauretorum
Aonidiella tinerfinensis
Apis mellifera capensis
Apis mellifera scuttellata
Archips micaceanus
Argyrotaenia ljugiana
Artitropa comus
Aspidiotus spinosus
Asterolecanium spp.
Bactrocera albistrigata
Bactrocera aquilonis
Bactrocera cucumis
Bactrocera decipiens
Bactrocera diversa
Bactrocera fascialis
Bactrocera frauenfeldi
Bactrocera jarvisi
Bactrocera kirki
Bactrocera latifons
Bactrocera melanota
Bactrocera musae
Bactrocera neohumeralis
Bactrocera occipitalis
Bactrocera oleae
Bactrocera passiflorae
Bactrocera psidii
Bactrocera trivialis
Bactrocera tuberculata
Bactrocera umbrosa
Bactrocera xanthodes
Bemisia cordylinidis
Blitopertha orientalis
Brachycerus spp.
Brachydactyla discoidea
Bruchophagus roddi
Bruchus pisorum
Bruchus rufimanus
Bulbifer homeorhynchus
Cacoecimorpha pronubana

Cacopsylla chinensis
Cacyreus marshalli
Callipogon relictus
Callosobruchus analis
Callosobruchus phaseoli
Camponotus floridanus
Camponotus pennsylvanicus
Capua tortrix
Cataenococcus hispidus
Catamacta lotinana
Ceratitis spp.
Chaetanaphothrips signipennis
Choristoneura conflictana
Choristoneura fumiferana
Choristoneura occidentalis
Choristoneura rosaceana
Chrysomphalus diversicolor
Chrysomphalus pinnulifera
Cilaeopeplus swezeyi
Coccus spp.
Conoderus eveillardi
Conoderus rufangulus
Conopia hector
Conotrachelus aguacatae
Contarinia nasturtii
Contarinia sorghicola
Coptotermes curvignathus
Copturus aguacatae
Cryptophlebia leucotreta
Cryptorhynchus lapathi
Curculio davidi
Curculio elephas
Curculio nucum
Cydia latiferreana
Cydia splendana
Dacus bivittatus
Dacus vertebratus
Dasineura mali
Dendroctonus adjunctus
Dendroctonus ponderosae
Dendroctonus rufipennis
Dendrolimus sibiricus
Delia antique
Delia platura

Diabrotica barberi
Diabrotica speciosa
Diabrotica undecimpunctata
Diabrotica virgifera virgifera
Diaprepes abbreviatus
Diaspidiotus gigas
Diaspidiotus ostreaeformis
Diaspidiotus pyri
Diatraea saccharalis
Dilobopterus costalimai
Draeculacephala minerva
Dreyfusia piceae
Drosophila suzukii
Dryocoetes confuses
Dryocosmus kuriphilus
Dysmicoccus nesophilus
Dyspessa ulula
Earias vittella
Echinothrips americanus
Elytroteinus subtruncatus
Epiphyas postvittana
Epitrix cucumeris
Epitrix tuberis
Eriosoma lanigerum
Eublemma rufimixta
Eucalymnatus tessellatus
Euproctis chrysorrhoea
Eurytoma laricis
Exosoma lusitanica
Frankliniella spp.
Furcaspis oceanica
Gnathotrichus sulcatus
Gonipterus gibberus
Graphocephala atropunctata
Grapholita funebrana
Grapholita inopinata
Grapholita molesta
Grapholita packardi
Grapholita prunivora
Heilipus lauri
Helicoverpa zea
Hemiberlesia cyanophylli
Hemiberlesia palmae
Hemimene juliana

Hesperophanes campestris
Heterobostrychus aequalis
Heteronychus arator
Holotrichia mindanaona
Homalodisca coagulata
Howardia biclavis
Hylastes ater
Hylurgopinus rufipes
Hyphantria cunea
Hypothenemus hampei
Insulaspis orsoni
Ips calligraphus
Ips confusus
Ips grandicollis
Ips lecontei
Ips pini
Ips plastographus
Ips typographus
Ischnaspis longirostris
Kandyosilis cochleata
Kytorhinus immixtus
Laspeyresia spp.
Lepidosaphes salicina
Lepidosaphes tokionis
Leptocybe invasa
Leucoptera malifoliella
Limonius californicus
Listroderes subcinctus
Listronotus bonariensis
Lobesia botrana
Lopholeucaspis cockerelli
Linepithema humile
Lymantria dispar
Lymantria monacha
Malacosoma americanum
Malacosoma disstria
Margarodes prieskaensis
Margarodes vredendalensis
Matsucoccus matsumurae
Mayetiola destructor
Megalometis chilensis
Melanaspis corticosa
Melanaspis elaeagni
Melanaspis nigropunctata

Melanotus communis
Metamasius spp.
Monochamus spp.
Mudaria luteileprosa
Mycetaspis personata
Mycetaspis sphaerioides
Myzus ornatus
Nasutitermes corniger
Naupactus xanthographus
Nemorimyza maculosa
Neomaskellia bergii
Neoselenaspidus silvaticus
Nipaecoccus nipae
Nysius vinitor
Oncometopia fascialis
Operophtera brumata
Opogona sacchari
Opuntiaspis carinata
Orgyia antiqua
Orgyia pseudotsugata
Orthezia insignis
Oryctes monoceros
Ostrinia nubilalis
Otiorhynchus ligustici
Oulema melanopus
Oviticoccus agavium
Pammene fasciana
Paranthrene tabaniformis
Parthenolecanium corni
Paraputo hispidus
Pectinophora scutigera
Perileucoptera coffeella
Phalaenoides glycinae
Phenacaspis tangana
Phenacoccus manihoti
Phyllophaga spp.
Pinnaspis dracaeanae
Pinnaspis strachani
Pissodes nemorensis
Pissodes strobi
Pissodes terminalis
Pogonomyrmex occidentalis
Prays endocarpa
Premnotrypes latithorax

Premnotrypes suturicallus
Premnotrypes vorax
Proeulia spp.
Promecothea cumingii
Prostephanus truncatus
Proterhinus vestitus
Pseudischnaspis bowreyi
Pseudococcus spp.
Pterandrus spp.
Ptilodactyla exotica
Pulvinaria urbicola
Pulvinaria vitis
Rhagoletis cerasi
Rhagoletis cingulata
Rhagoletis fausta
Rhagoletis indifferens
Rhagoletis mendax
Rhizoecus amorphophalli
Rhizoecus floridanus
Rhizoecus simplex
Rhodogastria carneola
Rhynchophorus palmarum
Rondotia menciiana
Sahlbergella singularis
Sardia pluto
Scirtothrips aurantii
Scirtothrips citri
Scolytus morawitzi
Scolytus multistriatus
Scolytus scolytus
Scyphophorus acupunctatus
Selenaspidus antsingyi
Selenaspidus littoralis
Sesamia cretica
Sirex noctilio
Sitophilus granarius
Sminthurus viridis
Solenopsis invicta
Solenopsis richteri
Solenopsis richteri × *Solenopsis*
Solenopsis xyloni
Sphaeraspis vitis
Spilonota lechriaspis
Spilonota pyrusicola

Spodoptera eridania
Spodoptera frugiperda
Spodoptera littoralis
Stenoma catenifer
Taeniothrips samdensis
Tecia solanivora
Tessaratomya papillosa
Tetropium castaneum
Tetropium fuscum
Tetropium gracilicorne
Thrips spp.
Tomicus piniperda
Toxotrypana curvicauda
Trioza erytreae
Trogoderma granarium
Unaspis citri
Viteus vitifoliae
Voraspis tangana
Wasmannia auropunctata
Xyleborus affinis
Xyleborus ferrugineus
Xyleborus rugatus
Xylopsocus capucinus
Xylotrechus altaicus
Xyphon (formerly *Carneocephala*) *fulgida*
Yponomeuta malinellus
Zabrotes subfasciatus

蟎類 (32 種)

Acarapis woodi
Aculops fuchsiae
Aculus schlechtendali
Brevipalpus chilensis
Bryobia eharai
Bryobia rubrioculus
Phyllocoptes aphrastus
Cochlodispus operosus
Eotetranychus carpini
Eotetranychus pruni
Epitrimerus pyri
Eriophyes gossypii
Mononychellus tanajoa
Oligonychus gossypii
Oligonychus grypus
Oligonychus indicus
Oligonychus peruvianus
Oligonychus punicae

Oligonychus sacchari
Oligonychus yotrheri
Panonychus ulmi
Petrobia latens
Phytoseius hongkongensis
Schizotetranychus andreopogoni
Schizotetranychus asparagi
Tetranychus canadensis
Tetranychus marianae
Tetranychus mcdanieli
Tetranychus mexicanus
Tetranychus turkestanii
Tropilaelaps clareae
Varroa sinhai

病毒類 (465 種)

Abutilon mosaic virus (AbMV) (*Geminiviridae*, *Begomovirus*)
Ageratum yellow vein virus (AYVV) (*Geminiviridae*, *Begomovirus*)
African cassava mosaic virus (ACMV) (*Geminiviridae*, *Begomovirus*)
Agropyron mosaic virus (AgMV) (*Potyviridae*, *Bymovirus*)
Alfalfa cryptic virus 1 (ACV-1) (*Partitiviridae*, *alphacryptovirus*)
Alfalfa enation virus
Alfalfa mosaic virus (AIMV) (*Bromoviridae*, *alfamovirus*)
Alsike clover vein mosaic virus
Alstroemeria mosaic virus (AIMV) (*Potyviridae*, *potyvirus*)
Amaranthus leaf mottle virus (AmLMV) (*Potyviridae*, *potyvirus*)
American plum line pattern virus (APLPV) (*Bromoviridae*, *Ilarvirus*)
Andean potato latent virus (APLV) (*Tymovirus*)
Andean potato mottle virus (APMoV) (*Comoviridae*, *Comovirus*)
Anthoxanthum latent blanching virus (ALBV) (*Hordeivirus*)
Anthriscus yellows virus (AYV) (*Sequiviridae*, *waikavirus*)
Apple chat fruit disease
Apple chlorotic leaf spot virus (ACLSV) (*Trichovirus*, *Flexiviridae*)
Apple dimple fruit viroid (ADFVd) (*Apscaviroid*, *Pospiviroidae*)
Apple mosaic virus (ApMV) (*Bromoviridae*, *Ilarvirus*)
Apple scar skin viroid (ASSVd) (*Pospiviroidae*, *Apscaviroid*)
Apple stem grooving virus (ASGV) (*Capillovirus*, *Flexiviridae*)
Apple stem pitting virus (ASPV) (*Foveavirus*, *Flexiviridae*)
Arabis mosaic virus (ArMV) (*Comoviridae*, *Nepovirus*)
Araujia mosaic virus (ArjMV) (*Potyviridae*, *potyvirus*)
Arracacha Virus A (AVA) (*Comoviridae*, *Nepovirus*)
Arracacha Virus B (AVB) (*Comoviridae*, *Nepovirus*)
Arracacha Virus Y (AVY) (*Potyviridae*, *potyvirus*)
Artichoke Italian latent virus (AILV) (*Comoviridae*, *nepovirus*)
Artichoke latent virus (ArLV) (*Potyviridae*, *potyvirus*)
Artichoke mottled crinkle virus (AMCV) (*Tombusviridae*, *Tombusvirus*)

Artichoke yellow ringspot virus (AYRSV) (Comoviridae, Nepovirus)
Asparagus virus 1 (AV-1) (Potyviridae, potyvirus)
Asparagus virus 2 (AV-2) (Bromoviridae, ilarvirus)
Asparagus virus 3 (AV-3) (Potexvirus)
Banana bunchy top virus (BBTV) (Nanovirus)
Barley mild mosaic virus (BaMMV) (Potyviridae, bymovirus)
Barley mosaic virus (BBV)
Barley yellow dwarf virus-GPV (BYDV-GPV) (Luteovirus)
Barley yellow mosaic virus (BaYMV) (Potyviridae, Bymovirus)
Barley yellow striate mosaic virus (BYSMV) (Rhabdoviridae, Cytorhabdovirus)
Bean calico mosaic virus (BCaMV) (Geminiviridae, Begomovirus)
Bean common mosaic virus (Potyviridae, potyvirus)
Bean golden mosaic virus (BGMV) (Geminiviridae, Begomovirus)
Bean leaf roll virus (BLRV) (Luteoviridae, luteovirus)
Bean mild mosaic virus (BMMV) (Tombusviridae, carmovirus)
Bean pod mottle virus (BPMV) (Comoviridae, comovirus)
Bean rugose mosaic virus (BRMV) (Comoviridae, comovirus)
Bean southern mosaic virus (SBMV) (sobemovirus)
Bean yellow vein banding virus (BYVBV) (Umbravirus)
Beet distortion mosaic virus
Beet mild yellowing virus (BMYV) (Luteoviridae, luteovirus)
Beet mosaic virus (BtMV) (Potyviridae, potyvirus)
Beet soil-borne virus (BSBV) (Pomovirus)
Beet western yellows virus (BWYV) (Luteoviridae, luteovirus)
Beet yellows virus (BYV) (Closteroviridae, closterovirus)
Beet yellow stunt virus (BYSV) (Closteroviridae, closterovirus)
Beet curly top virus (BCTV) (Geminiviridae, Curtomovirus)
Beet leaf curl virus (BLCV) (Rhabdoviridae)
Beet necrotic yellow vein virus (BNYVV) (Benyvirus)
Belladonna mottle virus (BeMV) (Tymovirus)
Bermuda grass etched-line virus (BELV) (Marafivirus)
Bhendi yellow vein mosaic virus (BYVMV) (Geminiviridae, Begomovirus)
Bidens mosaic virus (BiMV) (Potyviridae, potyvirus)
Bidens mottle virus (BiMoV) (Potyviridae, potyvirus)
Black raspberry latent ilarvirus
Black raspberry necrosis virus (BRNV)
Blackcurrant reversion associated virus (BRAV) (Comoviridae, Nepovirus)
Blueberry leaf mottle virus (BLMoV) (Comoviridae, Nepovirus)
Blueberry necrotic shock virus (BlShV) (ilarvirus)
Blueberry red ringspot virus (BRRV) (Caulimoviridae, caulimovirus)
Blueberry scorch virus (BBScV) (carlavirus)
Blueberry shoestring virus (BSSV) (sobemovirus)
Broad bean B virus
Broad bean necrosis virus (BBNV) (Pomovirus)

Broad bean severe chlorosis virus (Closteroviridae, closterovirus)
Broad bean stain virus(BBSV) (Comoviridae, comovirus)
Broad bean true mosaic virus (BBTMV) (Comoviridae, comovirus)
Broad bean wilt virusd (BBWV) (Comoviridae, fabavirus)
Broad bean yellow ringspot virus
Broad bean yellow vein virus (Rhabdoviridae, cytorhabdovirus)
Broccoli necrotic yellows virus (BNYV) (Rhabdoviridae, cytorhabdovirus)
Brome mosaic virus (BMV) (Bromoviridae, bromovirus)
Brome streak mosaic virus (BrStMV) (Potyviridae, Tritimovirus)
Burdock mosaic virus
Burdock mottle virus
Burdock yellows virus (BuYV) (Closteroviridae, closterovirus)
Cacao necrosis virus (CNV) (Comoviridae, nepovirus)
Cacao swollen shoot virus (CSSV) (Caulimoviridae, badnavirus)
Cacao yellow mosaic virus (CYMV) (Tymovirus)
Cactus virus (CV-2) (Carlavirus)
Canna yellow mottle VIRUS (CaYMV) (Caulimoviridae, badnavirus)
Caper latent virus (CapLV) (Carlavirus)
Cardamine chlorotic fleck virus (CCFV) (Tombusviridae, carmovirus)
Cardamom mosaic virus (CdMV) (Potyviridae, potyvirus)
Carnation cryptic virus I(CCV-1) (Partitiviridae, alphacryptovirus)
Carnation etched ring virus (CERV) (Cualimoviridae, caulimovirus)
Carnation Italian ringspot virus (CIRV) (Tombusviridae, tombusvirus)
Carnation latent virus (CLV) (Carlavirus)
Carnation mottle virus (CarMV) (Carmovirus)
Carnation necrotic fleck virus (CNFV) (Clostreoviridae, closterovirus)
Carnation ringspot virus (CRSV) (Tombusviridae, dianthovirus)
Carnation vein mottle virus (CVMoV) (Potyviridae, potyvirus)
Carrot latent virus (CtLV) (Rhabdoviridae, nucleorhabdovirus)
Carrot mottle mimic virus (CmoMV) (Umbravirus)
Carrot mottle virus (CMoV) (Umbravirus)
Carrot red leaf virus (CtRLV) (Luteoviridae, luteovirus)
Carrot temperate virus 1 (CteV-1) (Partitiviridae, alphacryptovirus)
Carrot temperate virus 2 (CteV-2) (Partitiviridae, betacryptovirus)
Carrot temperate virus 3 (CteV-3) (Partitiviridae, alphacryptovirus)
Carrot temperate virus 4 (CteV-4) (Partitiviridae, alphacryptovirus)
Carrot thin leaf virus (CTLV) (Potyviridae, potyvirus)
Cowpea chlorotic mottle virus (CCMV) (Bromoviridae, Bromovirus)
Cowpea golden mosaic virus (CPGMV) (Geminiviridae, Begomovirus)
Cowpea green vein-banding virus (CGVBV) (Potyviridae, Potyvirus)
Cowpea mosaic virus (CPMV) (Comoviridae, Comovirus)
Cowpea rugose mosaic virus (CPRMV) (Potyviridae, Potyvirus)
Cowpea severe mosaic virus (CPSMV) (Comoviridae, Comovirus)
Cowpea stunt virus (Luteovirus)

Cassava African mosaic virus (ACMV) (*Geminiviridae, bigeminivirus*)
Cassava green mottle virus (CaGMV) (*Comoviridae, nepovirus*)
Cassava Indian mosaic virus (ICMV) (*Geminiviridae, bigeminivirus*)
Cassava Ivorian bacilliform virus (CsIBV) (*Ourmiavirus*)
Cassava virus X (CsVX) (*Potexvirus*)
Cassia mosaic virus
Cassia ringspot virus
Cassia yellow blotch virus (CYBV) (*Bromoviridae, bromovirus*)
Cassia yellow spot virus (CasYSV) (*Potyviridae, potyvirus*)
Cauliflower mosaic virus (CaMV) (*Caulimoviridae, caulimovirus*)
Celery mosaic virus (CeMV) (*Potyviridae, potyvirus*)
Cereal northern mosaic virus (NCMV) (*cytorhabdovirus*)
Cassava brown streak virus (CsBSV) (*Potyviridae, Ipomovirus*)
Cassava common mosaic virus (CsCMV) (*Potexvirus*)
Cereal chlorotic mosaic virus (CCMoV) (*Rhabdoviridae*)
Cherry green ring mottle virus (CGRMV) (*Foveavirus*)
Cherry leaf roll virus (CLRV) (*Comoviridae, Nepovirus*)
Cherry mottle leaf virus (CMLV) (*Trichovirus*)
Cherry rasp leaf virus (CRLV) (*Comoviridae, Nepovirus*)
Cherry virus A (CVA) (*Capillovirus*)
Chickpea bushy dwarf virus (CpBDV) (*Potyviridae, potyvirus*)
Chickpea distortion mosaic virus (*Potyviridae, potyvirus*)
Chicory virus (ChVX) (*potexvirus*)
Chicory yellow mottle virus (ChYMV) (*Comoviridae, nepovirus*)
Chino del tomate virus (CdTV) (*Geminiviridae, bigeminivirus*)
Chloris striate mosaic virus (CSMV) (*Geminiviridae, monogeminivirus*)
Chrysanthemum virus B (CVB) (*Carlavirus*)
Citrus blight disease
Citrus leprosis virus (CiLV) (*Rhabdoviridae*)
Citrus yellow mosaic virus (CiYMV) (*Caulimoviridae, Badnavirus*)
Citrus leaf rugose virus (CiLRV) (*Rhabdoviridae, ilarvirus*)
Citrus ringspot virus
Citrus sudden death-associated virus (CSD- associated virus) (*Marafivirus, Tymoviridae*)
Citrus variegation virus (CVV) (*Bromoviridae, ilarvirus*)
Clitoria yellow vein virus (CYVV) (*Tymovirus*)
Clover mild mosaic virus
Clover wound tumor virus (WTV) (*Phytoreovirus*)
Clover yellow mosaic virus (CIYMV) (*potexvirus*)
Clover yellows virus (CYV) (*Closteroviridae, closterovirus*)
Clover yellow vein virus (CIYVV) (*Potyviridae, potyvirus*)
Cocksfoot mottle virus (CoMV) (*Sobemovirus*)
Coconut foliar decay virus (CFDV) (*Nanavirus*)
Commelina diffusa virus (*Potyviridae, potyvirus*)
Commelina mosaic virus (ComMV) (*Potyviridae, potyvirus*)

Commelina virus X (ComVX) (*potexvirus*)
Commelina yellow mottle virus (ComYMV) (*Caulimoviridae, badnavirus*)
Cocksfoot mild mosaic virus (CoMV) (*Sobemovirus*)
Cocoa mottle leaf virus
Cocoa necrosis virus (CoNV) (*Comoviridae, Nepovirus*)
Cocoa swollen shoot virus (CSSV) (*Caulimoviridae, Badnavirus*)
Cocoa yellow mosaic virus
Colombian datura virus (CDV) (*Potyviriidae, Potyvirus*)
Coriander feathery red vein virus (CFRVV) (*Rhabdoviridae, nucleorhabdovirus*)
Cotton leaf curl virus (CLCuV) (*Geminiviridae, Begomovirus*)
Cotton leaf crumple virus (CLCrV) (*Geminiviridae, bigeminivirus*)
Cowpea mild mottle virus (CPMMV) (*Carlavirus*)
Crimson clover latent virus (CCLV) (*Comoviridae, nepovirus*)
Crinum mosaic virus (CriMV) (*Potyviriidae, potyvirus*)
Croton yellow vein mosaic virus (CYVMV) (*Geminiviridae, bigeminivirus*)
Cucumber green mottle mosaic virus (CGMMV) (*Tobamovirus*)
Cucumber leaf spot virus (CLSV) (*Tombusviridae, carmovirus*)
Cucumber necrosis virus (CuNV) (*Tombusviridae, tombusvirus*)
Cucumber soil-borne virus (CuSBV) (*Tombusviridae, carmovirus*)
Cucumber vein yellowing virus (CVYV)
Cucurbit chlorotic yellows virus (CCYC) (*Closteroviridae, Crinivirus*)
Cycas necrotic stunt virus (CNSV) (*Comoviridae, nepovirus*)
Cymbidium ringspot virus (CymRSV) (*Tombusviridae, tombusvirus*)
Cynodon chlorotic streak virus
Cynosurus mottle virus (CnMoV) (*Sobemovirus*)
Dahlia mosaic virus (DMV) (*Caulimoviridae, caulimovirus*)
Dandelion latent virus (DaLV) (*Carlavirus*)
Dandelion yellow mosaic virus (DaYMV) (*Sequiviridae, sequivirus*)
Daphne virus X (DVX) (*Potexvirus*)
Daphne virus Y (DVY) (*Potyviriidae, potyvirus*)
Datura Colombian virus (CDV) (*Potyviriidae, potyvirus*)
Datura distortion mosaic virus (DDMV) (*Potyviriidae, potyvirus*)
Datura necrosis virus (DNV) (*Potyviriidae, potyvirus*)
Datura shoestring virus (DSTV) (*Potyviriidae, potyvirus*)
Datura yellow vein virus (DYVV) (*Rhabdoviridae, nucleorhabdovirus*)
Datura distortion virus
Datura enation mosaic virus
Dendrobium mosaic virus (DeMV) (*Potyviriidae, potyvirus*)
Desmodium mosaic virus (DesMV) (*Potyviriidae, potyvirus*)
Desmodium yellow mottle virus (DYMV) (*Tymovirus*)
Digitaria streak virus (DSV) (*Geminiviridae, monogeminivirus*)
Digitaria striate mosaic (DiSMV) (*Geminiviridae, monogeminivirus*)
Dioscorea alata virus (*Potyviriidae, potyvirus*)
Dioscorea bacilliform virus (DBV) (*Caulimoviridae, badnavirus*)

Dioscorea green banding mosaic virus (Potyviridae, potyvirus)
Dodonaea yellows-associated virus
Dolichos yellow mosaic virus (DoMYV) (Geminiviridae, bigeminivirus)
Dulcamara mottle virus (DuMV) (Tymovirus)
Eggplant green mosaic virus (EGMV) (Potyviridae, potyvirus)
Eggplant mottled dwarf virus (EMDV) (Rhabdoviridae, nucleorhabdovirus)
Elderberry virus (EV) (Carlavirus 1)
Epirus cherry virus (EpCV) (Ourmiavirus)
Erysimum latent virus (ErLV) (Tymovirus)
Dulcamara mottle virus (DuMV) (Tymovirus)
Echinochloa ragged stunt virus (ERSV) (Reoviridae, Oryzavirus)
Elm mottle virus (EMoV) (Bromoviridae, Ilarvirus)
European wheat striate mosaic virus (EWSMV) (Tenuivirus)
Euphorbia mosaic virus (EuMV) (Geminiviridae, bigeminivirus)
Euphorbia ringspot virus (EuRV) (Potyviridae, potyvirus)
Cucumber green mottle mosaic virus (CGMMV) (Tobamovirus)
Cucumber leaf spot virus (CLSV) (Tombusviridae, carmovirus)
Cucumber necrosis virus (CuNV) (Tombusviridae, tombusvirus)
Cucumber soil-borne virus (CuSBV) (Tombusviridae, carmovirus)
Cucumber vein yellowing virus (CVYV)
Cucurbit chlorotic yellows virus (CCYC) (Closteroviridae, Crinivirus)
Cycas necrotic stunt virus (CNSV) (Comoviridae, nepovirus)
Cymbidium ringspot virus (CymRSV) (Tombusviridae, tombusvirus)
Cynodon chlorotic streak virus
Cynosurus mottle virus (CnMoV) (Sobemovirus)
Dahlia mosaic virus (DMV) (Caulimoviridae, caulimovirus)
Dandelion latent virus (DaLV) (Carlavirus)
Dandelion yellow mosaic virus (DaYMV) (Sequiviridae, sequivirus)
Daphne virus X (DVX) (Potexvirus)
Daphne virus Y (DVY) (Potyviridae, potyvirus)
Datura Colombian virus (CDV) (Potyviridae, potyvirus)
Datura distortion mosaic virus (DDMV) (Potyviridae, potyvirus)
Datura necrosis virus (DNV) (Potyviridae, potyvirus)
Datura shoestring virus (DSTV) (Potyviridae, potyvirus)
Datura yellow vein virus (DYVV) (Rhabdoviridae, nucleorhabdovirus)
Datura distortion virus
Datura enation mosaic virus
Dendrobium mosaic virus (DeMV) (Potyviridae, potyvirus)
Desmodium mosaic virus (DesMV) (Potyviridae, potyvirus)
Desmodium yellow mottle virus (DYMV) (Tymovirus)
Digitaria streak virus (DSV) (Geminiviridae, monogeminivirus)
Digitaria striate mosaic (DiSMV) (Geminiviridae, monogeminivirus)
Dioscorea alata virus (Potyviridae, potyvirus)
Dioscorea bacilliform virus (DBV) (Caulimoviridae, badnavirus)

Dioscorea green banding mosaic virus (Potyviridae, potyvirus)
Dodonaea yellows-associated virus
Dolichos yellow mosaic virus (DoMYV) (Geminiviridae, bigeminivirus)
Dulcamara mottle virus (DuMV) (Tymovirus)
Eggplant green mosaic virus (EGMV) (Potyviridae, potyvirus)
Eggplant mottled dwarf virus (EMDV) (Rhabdoviridae, nucleorhabdovirus)
Elderberry virus (EV) (Carlavirus 1)
Epirus cherry virus (EpCV) (Ourmiavirus)
Erysimum latent virus (ErLV) (Tymovirus)
Dulcamara mottle virus (DuMV) (Tymovirus)
Echinochloa ragged stunt virus (ERSV) (Reoviridae, Oryzavirus)
Elm mottle virus (EMoV) (Bromoviridae, Iilarvirus)
European wheat striate mosaic virus (EWSMV) (Tenuivirus)
Euphorbia mosaic virus (EuMV) (Geminiviridae, bigeminivirus)
Euphorbia ringspot virus (EuRV) (Potyviridae, potyvirus)
Hop stunt viroid (HpSVd) (Hostuviroid, Pospiviroidae)
Hordeum mosaic virus (HoMV) (Potyviridae, Potyvirus)
Humulus japonicus virus (HJV) (Bromoviridae, ilarvirus)
Hyacinth mosaic virus (HyaMV) (Potyviridae, Potyvirus)
Hydrangea mosaic virus (HdMV) (Bromoviridae, ilarvirus)
Hydrangea ringspot virus (HRSV) (Potexvirus)
Horsegram yellow mosaic virus (HgYMV) (Geminiviridae, Begomovirus)
Iris fulva mosaic virus (IFMV) (Potyviridae, Potyvirus)
Iris Japanese necrotic ring virus
Iris mild mosaic virus (IMMV) (Potyviridae, Potyvirus)
Iris severe mosaic virus (ISMV) (Potyviridae, Potyvirus)
Impatiens necrotic spot virus (INSV) (Bunyaviridae, Tospovirus)
Indian peanut clump virus (IPCV) (Pecluvirus)
Indonesian soybean dwarf virus (ISDV) (Luteoviridae, Enamovirus)
Iranian maize mosaic virus
Jatropha mosaic virus (JMV) (Geminiviridae, bigeminivirus)
Johnsongrass mosaic (JGMV) (Potyviridae, Potyvirus)
Kalanchoe isometric virus
Kalanchoe latent virus (KLV) (Carlavirus)
Kalanchoe top-spotting virus (KTSV) (Caulimoviridae, badnavirus)
Kennedya yellow mosaic virus (KYMV) (Tymovirus)
Kennedya virus Y (KVY) (Potyviridae, Potyvirus)
Kyuri green mottle mosaic virus (KGMMV) (Tobamovirus)
Konjac mosaic virus (KoMV) (Potyviridae, Potyvirus)
Kober stem grooving
Lamium mild mottle virus (LMMV) (Comoviridae, fabavirus)
Lato River virus (LRV) (Tombusviridae, tombusvirus)
Leek yellow stripe virus (LYSV) (Potyviridae, potyvirus)
Lettuce big-vein virus (LBVV) (Varicosavirus)

Lettuce mosaic virus (LMV) (Potyviridae, potyvirus)
Lettuce necrotic yellows virus (LNYV) (Rhabdoviridae, cytorhabdovirus)
Lettuce speckles mottle virus (LSMV) (Umbravirus)
Lilac chlorotic leafspot virus (LCLV) (Capillovirus)
Lilac mottle virus (LiMV) (Carlavirus)
Lilac ring mottle virus (LRMV) (Bromoviridae, ilarvirus)
Lily mottle virus (LMoV) (Potyviridae, potyvirus)
Lily virus X (LVX) (Potexvirus)
Lettuce infectious yellows virus (LIYV) (Closteroviridae, Crinivirus)
Limabean golden mosaic virus (LGMV) (Geminiviridae, Begomovirus)
Little cherry virus (LChV) (Closteroviridae, Closterovirus)
LN33 stem grooving
Lucerne Australian symptomless virus (LASV) (Comoviridae, Nepovirus)
Lucerne vein yellowing virus
Lucerne transient streak virus (LTSV) (Sobemovirus)
Lychnis ringspot virus (LRSV) (Hordeivirus)
Maclura mosaic virus (MacMV) (Potyviridae, macluravirus)
Maize chlorotic dwarf virus (MCDV) (Sequiviridae, waikavirus)
Maize chlorotic mottle virus (MCMV) (Tombusviridae, machlomovirus)
Maize dwarf mosaic virus (MDMV) (Potyviridae, potyvirus)
Maize line virus
Maize mosaic virus (MMV) (Rhabdoviridae, nucleorhabdovirus)
Maize rayado fino virus (MRFV) (Marafivirus)
Maize white line mosaic virus (MWLMV)
Maize mottle/chlorotic stunt virus
Maize rough dwarf virus (MRDV) (Reoviridae, Fijivirus)
Maize streak virus (MSV) (Geminiviridae, Mastrevirus)
Malvastrum mottle virus
Malva vein clearing virus (MVCV) (Potyviridae, potyvirus)
Marigold mottle virus (MaMoV) (Potyviridae, potyvirus)
Melandrium yellow fleck virus (MYFV) (Bromoviridae, bromovirus)
Melon leaf curl virus (MLCV) (Geminiviridae, bigeminivirus)
Melon necrotic spot virus (MNSV) (Tombusviridae, carmovirus)
Melon Ourmia virus (OuMV) (Ourmiavirus)
Melon rugose mosaic virus (MRMV) (Tymovirus)
Milk vetch dwarf virus (MDV) (Nanovirus)
Mimosa mosaic virus
Mirabilis mosaic virus (MiMV) (Caulimovirus)
Miscanthus streak virus (MiSV) (Geminiviridae, monogeminivirus)
Mulberry latent virus (MLV) (Carlavirus)
Mulberry ringspot virus (MRSV) (Comoviridae, nepovirus)
Mung bean yellow mosaic virus (MYMV) (Geminiviridae, bigeminivirus)
Muskmelon vein necrosis virus (MuVNV) (Carlavirus)
Myrobalan latent ringspot virus (MLRSV) (Comoviridae, nepovirus)

Narcissus latent virus (NLV)(*Potyviridae, macluravirus*)
Narcissus mosaic virus (NMV) (*Potexvirus*)
Narcissus yellow stripe virus (*Potyviridae, potyvirus*)
Natsudaikai dwarf virus (NDV) (*Sadwavirus*)
Neckar River virus (NRV) (*Tombusviridae, tombusvirus*)
Nerine latent virus (NeLV) (*Carlavirus*)
Nerine virus (NV) (*Potyviridae, potyvirus*)
Nerine virus X(NVX) (*Potexvirus*)
Northern cereal mosaic virus (NCMV) (*Rhabdoviridae, Cytorhabdovirus*)
Oak ringspot virus
Oat blue dwarf virus (OBDV) (*Marafivirus*)
Oat golden stripe virus (OGSV) (*Furovirus*)
Oat mosaic virus (OMV)(*Potyviridae, bymovirus*)
Oat necrotic mottle virus (ONMV) (*Potyviridae, rymovirus*)
Oat red streak mosaic virus
Oat sterile dwarf virus (OSDV) (*Reoviridae, Fijivirus*)
Okra leaf-curl virus(OLCV) (*Geminivirus, bigeminivirus*)
Okra mosaic virus (OkMV) (*Tymovirus*)
Olive latent ringspot virus (OLRSV) (*Comoviridae, nepovirus*)
Ononis yellow mosaic virus (OYMV)(*Tymovirus*)
Opuntia Sammons' virus (SOV) (*Tobamovirus*)
Pangola stunt virus (PaSV)(*Reoviridae, Fijivirus*)
Panicum streak virus (PanSV) (*Geminiviridae, monogeminivirus*)
Papaya leaf curl virus (PaLCuV) (*Begomovirus, Geminiviridae*)
Papaya meleira virus (PMeV)
Papaya mosaic virus (PapMV) (*Potexvirus, Flexiviridae*)
Paprika mild mottle virus (PaMMV) (*Tobamovirus*)
Parietaria mottle virus (PmoV)(*Bromoviridae, ilarvirus*)
Parsnip leafcurl virus
Parsnip mosaic virus (ParMV)
Parsnip yellow fleck virus (PYFV)(*Sequiviridae, sequivirus*)
Paspalum striate mosaic virus (PSMV)(*Geminiviridae, monogeminivirus*)
Passiflora latent virus (PLV)(*Carlavirus*)
Passiflora South African virus (*Potyviridae, potyvirus*)
Passiflora ringspot virus (PFRSV) (*Potyviridae, potyvirus*)
Passionfruit woodiness virus (PWV) (*Potyviridae, potyvirus*)
Passionfruit yellow mosaic virus (PaYMV)(*Tymovirus*)
Patchouli mosaic virus (*Potyviridae, potyvirus*)
Pea early browning virus (PEBV) (*Tobravirus*)
Pea enation mosaic virus-1 (PEMV-1) (*Luteovirus*)
Pea enation mosaic virus-2 (PEMV-2) (*Umbravirus*)
Pea mild mosaic virus (PmiMV) (*Comoviridae, comovirus*)
Pea mosaic virus (*Potyviridae, potyvirus*)
Peanut chlorotic streak virus (PCSV) (*Caulimoviridae, caulimovirus*)

Peanut green mosaic virus (*Potyviridae*, *potyvirus*)
Peanut stunt virus (PSV) (*Bromoviridae*, *cucumovirus*)
Peanut yellow spot virus (PeYMV) (*Tospovirus*)
Peach American mosaic virus
Peach latent mosaic viroid(PLMVd)
Peach mosaic virus (PMV) (*Trichovirus*)
Peach rosette mosaic virus (PRMV) (*Comoviridae*, *Nepovirus*)
Peanut clump virus (PCV) (*Pecluvirus*)
Pear blister canker viroid (PBCVd) (*Pospiviroidae*, *Apscaviroid*)
Pear necrotic spot virus
Pepino mosaic virus (PepMV) (*Flexiviridae*, *Potexvirus*)
Pineapple bacilliform virus (PBV) (*Badnavirus*, *Caulimoviridae*)
Pineapple mealybug wilt-associated virus-1 (PMWaV-1) (*Ampelovirus*, *Closteroviridae*)
Pineapple mealybug wilt-associated virus-2 (PMWaV-2) (*Ampelovirus*, *Closteroviridae*)
Plantago asiatica mosaic virus
Plum American line pattern virus (APLPV) (*Ilarvirus*, *Bromoviridae*)
Plum bark split virus
Plum pox virus (PPV) (*Potyviridae*, *Potyvirus*)
Plum rusty blotch
Potato black ringspot virus (PBRSV) (*Comoviridae*, *Nepovirus*)
Potato deforming mosaic virus
Potato mop-top virus (PMTV) (*Pomovirus*)
Potato spindle tuber viroid (PSTVd) (*Pospiviroidae*, *Pospiviroid*)
Potato virus T (PVT) (*Trichovirus*)
Potato virus U (PVU) (*Comoviridae*, *Nepovirus*)
Potato virus V (PVV) (*Potyviridae*, *Potyvirus*)
Potato yellow dwarf virus (PYDV) (*Rhabdoviridae*, *Nucleorhabdovirus*)
Potato yellow vein virus (PYVV) (*Closteroviridae*, *Crinivirus*)
Potato yellowing virus
Prune dwarf virus (PDV) (*Bromoviridae*, *Ilarvirus*)
Prunus necrotic ringspot virus (PNRSV) (*Bromoviridae*, *Ilarvirus*)
Raspberry leaf curl virus
Raspberry ringspot virus (RpRSV) (*Comoviridae*, *Nepovirus*)
Red clover mottle virus (RCMV) (*Comoviridae*, *Comovirus*)
Rice gall dwarf virus (RGDV) (*Reoviridae*, *Phytoreovirus*)
Rice tungro bacilliform virus (RTBV) (*Caulimoviridae*, *Rice tungro bacilliform-like virus*)
Rice tungro spherical virus (RTSV) (*Sequiviridae*, *Waikavirus*)
Rice yellow mottle virus (RYMV) (*Sobemovirus*)
Rupestris stem pitting-associated virus (*Foveavirus*, *Flexiviridae*)
Squash leaf curl virus (SLCV) (*Geminiviridae*, *Begomovirus*)
Squash mosaic virus (SqMV) (*Comoviridae*, *Comovirus*)
Strawberry latent ringspot virus (SLRSV) (*Sadwavirus*)
Strawberry veinbanding virus (SVBV) (*Caulimoviridae*, *Caulimovirus*)
Sugarcane yellow leaf virus (ScYLV) (*Polerovirus*, *Luteoviridae*)

Tomato black ring virus (TBRV) (Comoviridae, Nepovirus)
Tobacco rattle virus (TRV) (Tobravirus)
Tobacco ringspot virus (TRSV) (Comoviridae, Nepovirus)
Tobacco mosaic virus (TMV) (Tobamovirus)
Tobacco streak virus (TSV) (Ilarvirus, Bromoviridae)
Tomato bushy stunt virus (TBSV) (Tombusvirus, Tombusviridae)
Tomato mottle virus (ToMoV) (Geminiviridae, Begomovirus)
Tomato ringspot virus (ToRSV) (Comoviridae, Nepovirus)
Tomato yellow leaf curl virus (TYLCV) (Geminiviridae, Begomovirus)
Tulare apple mosaic virus (TAMV) (Ilarvirus, Bromoviridae)
Ullucus virus C (UVC) (Comoviridae, comovirus)
Ullucus mild mottle virus (UMMV) (Tobamovirus)
Ullucus mosaic virus (UMV) (Potyviridae, potyvirus)
Urd bean leaf crinkle virus
Vallota mosaic virus (ValMV) (Potyviridae, potyvirus)
Vanilla mosaic virus (VanMV) (Potyviridae, potyvirus)
Vanilla necrosis virus (Potyviridae, potyvirus)
Velvet tobacco mottle virus (VTMoV) (Sobemovirus)
Viola mottle virus (VMV) (Potexvirus)
Voandzeia distortion mosaic virus (Potyviridae, potyvirus)
Voandzeia necrotic mosaic virus (VNMV) (Tymovirus)
Watercress yellow spot virus (WYSV)
Watermelon chlorotic stunt virus (WmCSV) (Geminiviridae, bigeminivirus)
Watermelon curly mottle virus (WmCMV) (Geminiviridae, bigeminivirus)
Watermelon mosaic virus 2 (WMV-2) (Potyviridae, potyvirus)
Wheat American striate mosaic virus (WASMV) (Rhabdovirus, ucleorhabdovirus)
Wheat yellow leaf virus (WYLV) (Closteroviridae, Closterovirus)
Wheat dwarf virus (WDV) (Geminiviridae, monogeminivirus)
Wheat soil-borne mosaic virus (SBWMV) (Furovirus)
Wheat streak mosaic virus (WSMV) (Potyviridae, rymovirus)
Wheat spindle streak mosaic virus (WSSMV) (Potyviridae, bymovirus)
Wheat yellow mosaic virus (WYMV) (Potyviridae, bymovirus)
White clover mosaic virus (WCIMV) (Potexvirus)
Wild cucumber mosaic virus (WCMV) (Tymovirus)
Wild potato mosaic (WPMV) (Potyviridae, Potyvirus)
Wineberry latent virus (WLV)
Wisteria vein mosaic virus (WVMV) (Potyviridae, Potyvirus)
Yam mosaic virus (YMV) (Potyviridae, Potyvirus)
Zucchini yellow fleck virus (ZYFV) (Potyviridae, Potyvirus)
 備註：以上病毒之媒介有害生物亦一併列入管制

線蟲類 (54 種)

Anguina tritici
Aphelenchoides aradhidis
Aphelenchoides bicaudatus
Aphelenchoides fragariae
Aphelenchoides goodeyi
Aphelenchoides ritzemabosi
Aphelenchoides suipingensis
Belonolaimus gracilis
Belonolaimus longicaudatus
Bursaphelenchus muconatus
Bursaphelenchus xylophilus
Ditylenchus triformis
Dolichodorus heterocephalus
Globodera pallida
Globodera tabacum
Hemicycliophora arenaria
Hemicycliophora nudata
Heterodera glycines
Heterodera goettingiana
Heterodera sacchari
Heterodera schachtii
Heterodera zae
Hirschmanniella gracilis
Hirschmanniella imamuri
Hirschmanniella magna
Hirschmanniella miticausa
Hirschmanniella spinicaudata
Hoploaimus spp.
Longidorus elongatus
Longidorus jiangsuensis
Meloidogyne fugianensis
Meloidogyne kongi
Meloidogyne lini
Nacobbus aberrans
Paralongidorus spp.
Paratrichodorus minor
Paratrichodorus porosus
Pratylenchus convallariae
Pratylenchus goodeyi
Pratylenchus indicus
Pratylenchus laticauda
Pratylenchus penetrans
Pratylenchus pratensis

Pratylenchus vulnus
Pratylenchus zaeae
Radopholus citri
Rhadinaphelenchus cocophilus
Scutellonema bradys
Trichodorus spp.
Xiphinema bricolense
Xiphinema californicum
Xiphinema diversicaudatum
Xiphinema hunaniense
Xiphinema index

細菌類 (56 種)

Acidovorax avenae subsp. *avenae*
Agrobacterium larrymoorei
Agrobacterium tumefaciens
Agrobacterium vitis
Burkholderia andropogonis
Burkholderia caryophylli
Burkholderia gladioli pv. *gladioli*
Clavibacter michiganensis subsp. *Indidiosus*
Clavibacter michiganensis subsp. *michiganensis*
Clavibacter michiganensis subsp. *Sepedonicus*
Clavibacter michiganensis subsp. *nebraskensis*
Curtobacterium flaccumfaciens subsp. *Flaccumfaciens*
Curtobacterium flaccumfaciens subsp. *poinsettiae*
Erwinia carotovora subsp. *atroseptica*
Erwinia chrysanthemi
Erwinia herbicola pv. *gypsophilae*
Erwinia pyrifoliae
Erwinia rhapontici
Erwinia salicis
Leifsonia xyli subsp. *xyli* (原 *Clavibacter xyli* subsp. *xyli*)
Liberobacter asiaticum
Pantoea stewartii
Potato leaflet stunt bacterium
Pseudomonas corrugate
Pseudomonas lignicola
Pseudomonas savastanoi pv. *phaseolicola*
Pseudomonas syringae pv. *actinidiae*
Pseudomonas syringae pv. *eriobotryae*
Pseudomonas syringae pv. *maculicola*
Pseudomonas syringae pv. *morSprunorum*
Pseudomonas syringae pv. *papulans*

Pseudomonas syringae pv. *pisi*
Pseudomonas syringae pv. *syringae*
Pseudomonas syringae pv. *tabaci*
Pseudomonas viridiflava
Ralstonia solanacearum Race3
Xanthomonas acernea
Xanthomonas arboricola pv. *corylina*
Xanthomonas axonopodis pv. *begoniae*
Xanthomonas axonopodis pv. *dieffenbachiae*
Xanthomonas axonopodis pv. *glycines*
Xanthomonas axonopodis pv. *phaseoli*
Xanthomonas axonopodis pv. *poinsettiicola*
Xanthomonas axonopodis pv. *vignicola*
Xanthomonas axonopodis pv. *vitians*
Xanthomonas cucurbitae
Xanthomonas campestris pv. *armoraciae*
Xanthomonas campestris pv. *Musacearum*
Xanthomonas fragariae
Xanthomonas hortorum pv. *carotae*
Xanthomonas hortorum pv. *perlargonii*
Xanthomonas hyacinthi
Xanthomonas oryzae pv. *oryzicola*
Xanthomonas translucens pv. *translucens*
Xanthomonas theicola
Xanthomonas populi

寄生性植物類（13種）

Aeginetia indica
Arceuthobium spp.
Arceuthobium americanum
Arceuthobium pusillum
Conopholis spp.
Cuscuta major
Cuscuta japonica
Cuscuta indicora
Cuscuta planiflora
Cuscuta campestris
Orobanche spp.
Phoradendron spp.
Striga spp.

中國大陸產櫻桃鮮果實輸入檢疫條件

- 一、自中國大陸輸入櫻桃 (*Prunus avium*) 鮮果實，除依據植物防疫檢疫法及相關檢疫規定辦理外，依本檢疫條件辦理。
- 二、本檢疫條件適用於中國大陸山東省產之櫻桃鮮果實。
- 三、番石榴果實蠅 (*Bactrocera correcta*) 偵測及偵測發現後之處理措施
 - (一) 每年四月至十月間應使用甲基丁香油及蛋白質水解物誘引劑之誘殺器進行番石榴果實蠅偵測。
 - (二) 誘殺器應懸掛在供果園、包裝場、鮮果輸入港站與其附近批發市場及中國大陸植物檢疫機關 (以下簡稱質檢總局) 認為有可能引進番石榴果實蠅之地區。至少每二星期應更換誘引劑並調查一次，並應保有誘殺器分布圖及調查紀錄備查。
 - (三) 質檢總局應於每年輸出作業開始前提供臺灣植物檢疫機關 (以下簡稱防檢局) 前一年度山東省番石榴果實蠅偵測紀錄。
 - (四) 偵測發現番石榴果實蠅時，質檢總局應以發現番石榴果實蠅偵測點為中心設立緊急防治區，且應立即通知防檢局，並提供緊急防治區地理分布圖及標示防治區內之輸臺櫻桃供果園、包裝場、機場及海港等資料。
 - (五) 緊急防治區內供果園生產之櫻桃暫停輸往臺灣，緊急防治區內之包裝場亦不得進行輸臺作業；緊急防治區以外生產之輸臺櫻桃於輸出檢疫合格簽發植物檢疫證明書時，須加註「該批櫻桃非產自緊急防治區且非於緊急防治區內包裝」。
 - (六) 質檢總局應對緊急防治區採取番石榴果實蠅撲滅措施，並應通知防檢局其所採取措施及後續調查結果。緊急防治區自最後一次發現番石榴果實蠅起，再持續偵測已逾番石榴果實蠅三個世代之時間，而未再偵測到任何番石榴果實蠅時，質檢總局得通報防檢局要求解除緊急防治區，經防檢局認可後，始得解除並恢復緊急防治區內生產之櫻桃輸臺作業。
- 四、供果園條件
 - (一) 供果園應在質檢總局之指導下進行櫻桃有害生物防治，針對臺灣關切之有害生物 (如附錄) 進行田間防治，並應保有防治紀錄備查。防治紀錄應包括生長季節使用所有化學藥劑的名稱、有效成分、使用日期及使用濃度等詳細資訊。
 - (二) 每年四月至十月間，每一供果園應於田間懸掛使用甲基丁香油及蛋白質水解物誘引劑之兩種誘殺器，對番石榴果實蠅進行偵測，並應保有調查紀錄備查。偵測發現任何番石榴果實蠅時，質檢總局應依第三點規定進行後續處理。
 - (三) 櫻桃採收前，每個供果園必須採樣送實驗室進行農藥殘留檢測，並應保有檢測紀錄備查。
 - (四) 符合上述條件之輸臺櫻桃供果園應向質檢總局登錄，質檢總局應於每年輸臺作業開始前對所有登錄供果園實施檢查以確定符合本檢疫條件規定。
 - (五) 質檢總局應於每年櫻桃輸臺作業開始前將合格供果園名單造冊並提供防檢局。供果園名單應包含供果園註冊編號、名稱及地址。

五、包裝場條件

- (一) 包裝場應位在山東省境內。
- (二) 包裝場應建立完善的管理工作手冊，並具備充足光線、空間與設備及有害生物為害情形圖鑑，以進行櫻桃鮮果實之有害生物檢查工作。
- (三) 包裝場外應懸掛使用甲基丁香油及蛋白質水解物誘引劑之誘殺器，包裝場內櫻桃進場區、選果區、包裝區及包裝完成暫存區應設置黏蟲板或燈光誘殺器等非性費洛蒙之誘捕器以偵測番石榴果實蠅之發生。
- (四) 包裝場每年輸臺作業開始前及必要時應進行消毒。
- (五) 包裝場至少須有一名經訓練合格，可辨別果實蠅感染果之技術人員，該技術人員須參與輸臺櫻桃之選別作業。包裝場應保有該場技術人員訓練紀錄或資料備查。
- (六) 進行輸臺櫻桃包裝作業時，所有輸臺櫻桃須來自登錄之合格供果園；如場內同時貯放或處理非輸臺櫻桃，其與輸臺櫻桃須有適當區隔且不得同時進行包裝。
- (七) 輸臺櫻桃須經選別並剔除附帶土壤、受損、畸形及疑似有害生物為害之果實，並去除枝條、葉片、雜草種子或其他植物殘體。廢棄果須置於加蓋容器內並應每日移出包裝場外丟棄、處理或銷燬。
- (八) 符合條件之包裝場應向質檢總局登錄，質檢總局應於每年輸出季開始前對所有登錄包裝場實施檢查以確定符合本檢疫條件規定。
- (九) 質檢總局應於每年輸臺作業開始前將合格包裝場造冊並提供防檢局。包裝場造冊名單應包含包裝場註冊編號、名稱及地址。

六、包裝及運輸

- (一) 輸臺櫻桃須使用全新乾淨的包裝材料進行包裝。
- (二) 每一包裝箱上須標明供果園與包裝場之名稱或註冊編號及生產地（市或縣）。
- (三) 輸臺櫻桃須採完全密封之包裝，或以密合之包裝箱包裝，如包裝箱有通氣孔，應在通氣孔上加設網孔小於一點六公釐之防蟲紗網。

七、輸出檢疫程序

- (一) 檢疫取樣數量為每批包裝數之百分之二以上。
- (二) 檢疫結果發現有活番石榴果實蠅及其他防檢局關切之有害生物，該批櫻桃不得輸臺。
- (三) 經檢疫合格之櫻桃，應於植物檢疫證明書上註明「經檢疫結果未染番石榴果實蠅、蘋果蠹蛾、桃蚜蛾、西方花薊馬及火傷病」，並加註供果園與包裝場之名稱或註冊編號及生產地（山東省）。採貨櫃運輸者，另須加註櫃號。

八、輸入檢疫注意事項

- (一) 質檢總局簽發之植物檢疫證明書及其記載事項，應符合本檢疫條件規定。
- (二) 輸入檢疫程序方法及抽驗數量，依防檢局相關規定辦理。
- (三) 附帶土壤、枝葉、未檢附植物檢疫證明書或來自非合格登錄供果園和包裝場者，該批櫻桃不得輸入。

九、檢出番石榴果實蠅之處置方式

(一) 於包裝場及輸出檢疫檢出時

- 1、若包裝場內偵測、包裝程序或輸出檢疫時發現活番石榴果實蠅時，依本檢疫條件第三點第四款至第六款規定辦理。
- 2、前述發現活番石榴果實蠅之包裝場及供果園，所有已完成包裝、輸出檢疫及取得輸出植物檢疫證明書但尚未輸出之櫻桃鮮果實，均暫停輸臺。

(二) 於輸入檢疫檢出時

- 1、經檢疫如發現活番石榴果實蠅時，該批櫻桃應退運或銷燬，並取消該生產季生產該批櫻桃之供果園及包裝該批櫻桃包裝場之輸臺資格。防檢局將立即通知質檢總局全面暫停中國大陸櫻桃輸出。質檢總局應進行原因調查並將調查報告送交防檢局。
- 2、防檢局於收到前述調查報告後，將進行評估以決定是否恢復櫻桃輸臺作業，必要時得派員赴中國大陸查證，所需費用由中國大陸負擔。

十、產地查證

- (一) 正式貿易開始首年櫻桃生產季開始前二個月，質檢總局應提供當年度輸臺櫻桃供果園及包裝場名單，並邀請防檢局派員會同查證山東省番石榴果實蠅偵測作業、供果園與包裝場及櫻桃輸出檢疫作業，查證所需費用由中國大陸負擔。
- (二) 執行產地查證作業時，發現輸臺櫻桃供果園或包裝場不符本檢疫條件之重大缺失或問題時，防檢局應立即通知質檢總局，暫停前述供果園或包裝場之輸臺資格；涉及整個系統之重大缺失時，則暫停中國大陸櫻桃輸臺作業。質檢總局應進行原因調查及採取改善措施，調查及改善措施報告送交防檢局，經認可後始得恢復櫻桃供果園、包裝場之輸臺資格或櫻桃輸臺作業。

十一、其他

- (一) 中國大陸櫻桃若有任何其他重要有害生物發生，足以影響臺灣農業生產安全時，臺方得隨時停止本檢疫條件之進行。
- (二) 根據中國大陸櫻桃疫情發生動態及有害生物截獲情況，防檢局將作進一步的風險評估，並與質檢總局協商，以調整檢疫性有害生物名單及相關檢疫措施。為確保有關風險管理措施和操作要求的有效落實，防檢局將在貿易開始後每五年對本檢疫條件執行情況進行回顧性審查，包括派專家赴中國大陸進行產地查證。根據產地查證情況，經雙方同意，對本檢疫條件進行修正。

附錄、臺灣關切之櫻桃鮮果實檢疫有害生物

1. 番石榴果實蠅 *Bactrocera correcta*
2. 蘋果蠹蛾 *Cydia pomonella*
3. 桃蚜蛾 *Anarsia lineatella*
4. 西方花薊馬 *Frankliniella occidentalis*
5. 火傷病 *Erwinia amylovora*

6. 棉褐帶捲葉蛾 *Adoxophyes orana*
7. 細菌性潰瘍病 *Pseudomonas syringae* pv. *syringae*
8. 櫻桃捲葉病毒 *Cherry leaf roll virus* (CLRV)
9. 櫻桃退綠環斑病毒 *Prune dwarf virus* (PDV)
10. 櫻桃壞死環斑病毒 *Prunus necrotic ringspot virus* (PNRSV)
11. 桃蛀果蛾 *Carposina sasakii*
12. 褐腐病 *Monilinia fructicola*
13. 斑翅果蠅 *Drosophila suzukii*